

DATE: 11 Jan 02

**DRAFT**  
**Maintenance Effort Remains Consistent with the Prior Fiscal Year**

STATEMENT OF WORK (SOW)  
for  
Inspection and Repair Only As Necessary (IROAN)  
of the  
AN/TPS-59(V)3  
Radio Frequency Switch  
NSN 5985-01-154-6359

SOW-05-C4I-8E057B-2/1

1. This SOW identifies the work effort that shall be performed by the contractor to IROAN the Radio Frequency Switch, NSN 5985-01-154-6359, part number 77C718003P2, CAGE 03538.
2. *The attached manuscript has been reviewed and is concurred upon by the following signers:*

---

LAWRENCE E. HERNDON  
Logistics Management Specialist  
Battlespace Management and Air Defense Systems (Code BMADS)  
Marine Corps Systems Command, Albany, GA

---

RICHARD E. JONES  
Team Leader  
Equipment Specialist  
Battlespace Management and Air Defense Systems (Code BMADS)  
Marine Corps Systems Command, Albany, GA

STATEMENT OF WORK (SOW)  
for  
Inspection and Repair Only As Necessary (IROAN)  
of the  
AN/TPS-59(V)3  
Radio Frequency Switch  
NSN 5985-01-154-6359

**1.0 SCOPE.** This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the contractor to IROAN the AN/TPS-59(V)3 Radio Frequency (RF) Switch, NSN 5985-01-154-6359, part number 77C718003P2, CAGE 03538, (hereafter referred to as the RF Switch.) This document contains requirements to restore the RF Switch to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."

**1.1 Background.** IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."

**2.0 APPLICABLE DOCUMENTS.** The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

**2.1 Military Standards**

MIL-STD-2073-ID	DOD Standard Practice for Military Packaging
MIL-STD-129	DOD Standard Practice for Military Marking

**2.2 Other Government Documents and Publications**

Engineering Drawing 77C718003, CAGE 03538	Switch, Radio Frequency
--	-------------------------

**Military Handbooks (For Guidance)**

MIL-HDBK-61	Configuration Management Guidance
-------------	-----------------------------------

### 2.3 Industry Standards

ANSI/ISO/ASQC  
Q9003-1994

Quality Systems-Model for Quality Assurance in Final  
Inspection and Test

#### Industry Standards (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration  
Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697- 2179 or DSN 442-2179, or <http://www.dodssp.daps.mil>. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from: Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

### 3.0 REQUIREMENTS

3.1 The contractor shall repair the RF Switch strictly in accordance with the requirements as specified in Engineering Drawing 77C718003, CAGE 03538. Additionally, the contractor shall be responsible for developing a test plan and documenting the test results in a Test Data Report (TDR). The contractor shall be responsible for all parts, materials, labor, facilities, tools and test equipment necessary to Inspect and Repair Only as Necessary the equipment in accordance with this SOW.

#### 3.2 Packaging, Handling, Storage and Transportation (PHS&T)

3.2.1 The contractor shall be responsible for preservation and packaging of item(s) being repaired under the terms of this Statement of Work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of MIL-STD-2073-1D, Appendix A, Table A.VI, Electronic Equipment. Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with level "B" requirements.

**NOTE:** Level "A" preservation and packaging shall normally be required due to the anticipated long-term storage requirements. Exceptions: Items that have a confirmed immediate use requirement shall be identified; in writing, by the Logistics Management Specialist (LMS), MCSC (Code BMADS), Albany, Georgia.

3.2.2 Marking for shipment and storage shall be in accordance with MIL-STD-129.

3.2.3 The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping and the subject equipment to and from the contractor.

3.3 Configuration Control. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal (ECP). If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing these configuration control documents.

3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 573-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE)/(GFM) requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. (This can be done by mailing (Materiel Management Department, Management Control Activity (Code 573-2), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320) or faxing (commercial 229-639-5498 or DSN 567-5498) a copy of the DD1348).

3.5 Quality Assurance Provisions. The contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems-Model for Quality Assurance in Final Inspection and Test.

4.0 REPORTS. The contractor shall develop a Test Data Report (TDR) in contractor format, based on test requirements developed by the contractor (in accordance with this SOW). The report will reference this SOW, the NSN, part number and serial number of the RF Switch. Upon request, the contractor shall submit a copy of the TDR electronically (preferred), via regular mail, or facsimile to the Logistics Management Specialist (LMS). Electronic address is: [herndonle@matcom.usmc.mil](mailto:herndonle@matcom.usmc.mil). Mailing address is: Commander, Marine Corps Systems Command, Attn: Logistics Management Specialist, Code BMADS, 814 Radford Blvd., Suite 20343, Albany, GA 31704-0343. Facsimiles may be sent to (229) 639-6545 or DSN 567-6545, Attn: Logistics Management Specialist, Code BMADS.