

STATEMENT

OF

WORK

(SOW)

**FOR THE IROAN OF THE
DOLLY SET, LIFT, TRANSPORTABLE
M832**

2330-00-221-4939

CONTROL NE: SOW-02-835-1-07513A-2/2

EFFECTIVE DATE: 01 OCTOBER 2001

STATEMENT OF WORK FOR THE
M832 DOLLY SET, LIFT, TRANSPORTABLE
Inspect Repair Only as Necessary (IROAN)
NSN 2330-00-221-4939

1.0 SCOPE. This Statement of Work (SOW) identifies the requirements to restore the M832 Dolly set to condition code "A". Condition code "A" is defined as serviceable/issuable without qualification, new, used, repaired, or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction.

1.1 Background IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."

2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards.

MIL-SFD-129 DoD Standard Practice for Military Marking

2.2 Other Government Documents and Publications.

TM 9-2330-25-14&P Dolly Set Lift Transportable

ATPD-2241 Vehicles, Wheeled, Preparation for Shipment and Storage of

Military Handbooks (For Guidance)

MIL-HDBK-51 Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC Q9002-1994 Quality Systems-Model for Quality Assurance in Production, Installation, and Servicing

Industry Standards (For Guidance)

ANSI/EIA-6 9

National Consensus Standard for Configuration Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or <http://www.dodssp.daps.mil>. Copies of other government documents and publications required by contractors in connection with specific SOW requirement shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Base, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 851-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 Requirements.

3.1 General Tasks. In fulfilling the specified requirements, the contractor shall:

a. Provide materials, labor, facilities, repair parts, and missing parts necessary to inspect, diagnose, restore, and test the M832 Dolly Set in accordance with TM 9-2330-275-14&P. Upon completion of the IROAN, the M832 Dolly Set shall be in Condition Code "A".

b. Provide all tools and test equipment required to test and inspect the M832 Dolly Set.

3.2 Quality Assurance Provisions. The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9002-1994, Quality System Model for Quality Assurance in Production, Installation, and Servicing. The performance of the Contractor and the quality of work delivered, materiel provided, and documents written shall be subject to review and inspection by MCLB (Code 835) Albany representatives during work performance at any work location. Authorized MCLB, (Code 835) Albany, Georgia, representatives shall be permitted to observe the work/task accomplishment or to conduct inspections during working hours. Inspection by Albany Georgia, representatives (Code 835) of test plans and materials furnished herein does not relieve the Contractor from any responsibility regarding defects or other failures to meet work requirements which may be disclosed prior to final acceptance. Failure of the Contractor to promptly correct deficiencies

discovered shall be reason for suspension of acceptance until corrective action has been accomplished.

The Contractor shall have in place documented procedures and standards for inspections requirements and the Contractor's work shall be subject to reviews and inspections for compliance with these procedures and standards by MCLB, Albany, Georgia, representatives (Code 835). Noncompliance with procedures resulting in degraded quality of work may result in a stop-work order requiring action by the Contractor to correct the work performed and to enforce compliance with quality assurance procedures or face work termination. Notwithstanding such MCLB, Albany, Georgia, representative inspection, it shall be the Contractor's responsibility to ensure that the entire system meets the performance requirements delineated and addressed in this SOW.

3.3 Packaging, Handling Storage and Transportation (PHS&I)

a. The contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items scheduled for long term storage or shipment to overseas destinations shall be level "A" in accordance with EPDS 8750052 and ATPD-2241 both of which may be obtained from Materiel Management Division, Attn: Logistics Support Section, Suite 20320, 814 Radford Blvd, Albany, GA 31704-0320, Telephone commercial (229) 639-6786, DSN 567-6786. Items scheduled for domestic shipment, immediate use or short-term storage shall be to level "B." requirements.

b. Marking shall be in accordance with MIL-STD-129.

c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the restored equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

3.4 Configuration Control. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation. MIL HDBK-61 (paragraph 4.3 and Table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing this configuration control document."

