


DATE: 06 Apr 00

STATEMENT OF WORK FOR THE
REPAIR
OF THE
TACTICAL DEFENSE ALERT RADAR (TDAR)
ELECTRICAL FREQUENCY SYNTHESIZER
5895-01-370-5570

SOW-01-844-2-8F452B-2/1

1. This SOW identifies the work effort that shall be performed by the contractor to repair the TDAR Electrical Frequency Synthesizer, NSN 5895-01-370-5570.
2. The attached manuscript has been reviewed and is concurred upon by the following signers:


LAWRENCE E. HERNDON
Weapons System Manager
Radar Systems Section (Code 844-2)
MARCORLOGBASES, Albany, GA


RICHARD E. JONES
Team Leader
Equipment Specialist
(Code 844-2)
MARCORLOGBASES, Albany, GA


CYNTHIA A. POOLE
Team Leader
Inventory Manager
(Code 844-2)
MARCORLOGBASES, Albany, GA

TABLE OF CONTENTS

1.0	Scope	1
1.1	Background	1
2.0	Applicable Documents	1
2.1	Military Specifications	1
2.2	Military Standards	1
2.3	Other Government Documents and Publications	2
2.4	Industry Standards	2
3.0	Requirements	2
3.1	General Tasks	2
3.2	Detailed Tasks	2
3.3	Configuration Control	4
3.4	Government Furnished Equipment (GFE)/Government Furnished Material (GFM)	4
3.5	Contractor Furnished Material (CFM)	4
3.6	Electrostatic Discharge (ESD) Control Program	5
3.7	Quality Assurance Provisions	5
3.8	Acceptance	5
3.9	Rejection	5
4.0	Reports	5
5.0	Cost and Financial Administration	6

Appendixes

- A Standard Form 364
- B Report DA-2404

STATEMENT OF WORK FOR THE
REPAIR
OF THE
TACTICAL DEFENSE ALERT RADAR (TDAR)
ELECTRICAL FREQUENCY SYNTHESIZER
5895-01-370-5570

06 Apr 00
SOW-01-844-2-8F452B-2/1

1.0 Scope: This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor (for purposes of this SOW, Contractor is defined as the commercial or government entity performing the repair) to repair the Tactical Defense Alert Radar (TDAR) Electrical Frequency Synthesizer, NSN 5895-01-370-5570. This document contains requirements to restore the TDAR Electrical Frequency Synthesizer to Condition Code "A." Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than six months shelf-life remaining."

1.1 Background: Repair is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."

2.0 Applicable documents: The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which s in effect on the date of solicitation. In the event of conflict between the documents referred herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Specifications

MIL-C-81309 Corrosion Preventive Compounds, Water Displacing,
Ultra Thin Film

2.2 Military Standards

MIL-STD-2073-1C DoD Standard Practice for Military Packing
MIL-STD-129 DoD Standard Practice for Military Packing
MIL-STD-130 DoD Standard Practice for Identification Marking of U.S.
Military Property

Military Standards (For Reference Only)

MIL-STD-973 Configuration Management

2.3 Other Government Documents and Publications: The latest issue of those documents cited below shall be used.

TM 09480A-12&P/1	Operation and Maintenance Instructions, TDAR
TM 09480A-34&P/4	Transceiver Unit, AN/UPS-3
TM 09480A-34&P/4	Supplement
DoD 4000.25-1-M	MILSTRIP Manual
NAVICPINST 4491.2A	Requisitioning of Contractor Furnished Materiel from the Federal Supply System

2.4 Industry Standards

ANSI/EIA-625	Requirements for Handling-Electrostatic-Discharge Sensitive (ESDS) Devices
ANSI/ISO/ASQC Q9003-1994	Quality Systems - Model for Quality Assurance in Final Inspection and Test

Copies of military standards and specifications are available from the DOD Single Stock Point, Defense Automation Production Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697- 2179 or DSN 442-2179, or <http://dodssp.daps.mil>. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Base, 814 Radford Blvd., Albany, GA 31704-1128, commercial telephone number (912) 439-6761 or DSN 567-6761. Copies of engineering drawings shall be obtained from: Life Cycle Management Center, Attn (Code 825-3), 814 Radford Blvd Suite 20320, Albany GA 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 REQUIREMENTS

3.1 General Tasks: In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts necessary to inspect, diagnose, restore, test, and calibrate the Electrical Frequency Synthesizer. Upon completion of repairing the subject item it shall be Condition Code "A".

3.2 Detail Tasks: The following tasks describe the different phases for repair of the Electrical Frequency Synthesizer.

Phase I	Pre-Induction
Phase II	Repair
Phase III	Inspection, Testing and Acceptance

Phase IV Packaging, Handling, Storage and Transportation (PHS&T)

3.2.1 Phase I - Pre-Induction: A pre-induction inspection analysis shall be performed for each Electrical Frequency Synthesizer within 5 working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign CC "F", otherwise assign CC "M" and induct into repair cycle. Standard Form 364 (Appendix A) and Report DA-2404 (Appendix B) shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.

3.2.2 Phase II – Repair: After pre-induction tests and inspections have been completed, repair of the Electrical Frequency Synthesizer shall be accomplished in accordance with this SOW. Deficiencies noted on Appendix (B) and Appendix (A) during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Hardware

(1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items.

(2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.

(3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.

b. Publications and Documentation: The Contractor shall use the technical documentation listed below to restore the LRU to condition code "A."

MIL-C-81309	Corrosion Preventive Compounds, Water Displacing, Ultra Thin Film
MIL-STD-130	Identification Marking of U.S. Military Property
TM 09480A-12&P/1	Operation and Maintenance Instructions, TDAR
TM 09480A-34&P/4	Transceiver Unit, AN/UPS-3
TM 09480A-34&P/4	Supplement

3.2.3 Phase III - Inspection, Testing and Acceptance

a. Inspection, Testing, and Acceptance of each Electrical Frequency Synthesizer shall be conducted in accordance with the documents and TM's listed in section 3.2.2.b.

b. The Contractor shall be responsible for conducting all required tests on the Electrical Frequency Synthesizer.

c. The Contractor shall be responsible for correcting deficiencies identified during inspection/ testing. MCLB (Code 844-2), Albany, Georgia, representatives may require the

Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV - Packaging, Handling, Storage, and Transportation (PHS&T)

a. The Contractor shall be responsible for preservation and packaging of the items to be delivered under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the level A requirements of MIL-STD-2073-1C, Appendix A, Table A.VI., Electronic Equipment. Items scheduled for domestic shipment, immediate use or short-term storage shall be to level B requirements.

b. Marking of all items shall be in accordance with MIL-STD-129.

c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the equipment to and from the contractor.

3.3 Configuration Control. The contractor shall apply configuration control to established configuration items. Deviations from this established baseline configuration shall not be allowed without the express written approval of the Weapon System Manager (WSM) (Code 844-2). All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. MIL-STD-973 (paragraph 5.4.2 and Appendix D) may be used as a guide. If necessary to temporarily depart from the authorized configuration baseline, the contractor shall prepare and submit a Request for Deviation or Request for Waiver. MIL-STD-973 (paragraph 5.4.3 or 5.4.4 and Appendix E) may be used as a guide.

3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM): The Management Control Activity (MCA/Code 827-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE/GFM) requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE/GFM Accountability Agreement to the Contractor for signature to establish a chain of custody and identify property responsibilities for Marine Corps Assets. The Contractor shall report receipt of all GFE/GFM, and report consumption of GFM to the MCA. The MCA, in conjunction with the WSM, reserve the right to deny any requests for GFE/GFM. Under no circumstances shall such denial form a basis for either work stoppages or delays in delivery.

3.5 Contractor Furnished Materiel (CFM): The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel (CFM) is required for repair parts, the contractor shall requisition repair parts through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11 authorizes contractors to requisition through the DoD Supply System.

3.6 Electrostatic Discharge (ESD) Control Program: The Contractor shall establish, implement and document an ESD control program following the guidelines provided in

ANSI/EIA-625. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.

3.7 Quality Assurance Provisions: The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems - Model for Quality Assurance in Final Inspection and Test. The program shall ensure quality throughout all areas to include processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the Contractor shall be responsible for performance of all inspection requirements. The Government reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.

3.8 Acceptance: The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to in-process review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and QA representatives shall be permitted to observe the work or to conduct inspections at all reasonable hours. Final inspection and acceptance testing shall be conducted at the Contractor's facility. Final acceptance shall be conducted on 100% of items to verify that the units meet all requirements.

3.9 Rejection: Failure to comply with any of the specified requirements listed herein shall be reason for rejection by the QA representative. The Contractor shall, at no additional cost provide the following:

a. Develop a corrective action plan to correct deficiencies.

b. Upon approval of a corrective action plan, the Contractor shall correct the deficiencies and repeat the verification until all requirements are met.

4.0 REPORTS: The Contractor shall provide Monthly Progress Reports (MPR) summarizing the progress and status of the rebuild program. Report will include name and phone number for the Contractor point of contact. This report will be submitted no later than the tenth of the following month.

a. MPR will reflect, by serial number (S/N), the phase of repair and condition code (CC) of all Marine Corps Electrical Frequency Synthesizers held by the Contractor.

b. Assets inducted into maintenance, will be identified as CC "M".

c. Assets that have completed final inspection will be identified as CC "A".

d. Assets that have completed final testing but require additional parts or components prior to issue, will be identified as CC "G".

e. Assets awaiting induction into maintenance will be identified as CC "F".

f. The reports will be submitted via E-Mail to Weapon System Management (WSM) team at this address: mbmatcom844-2@matcom.usmc.mil.

5.0 COST AND FINANCIAL ADMINISTRATION:

a. Upon completion of negotiations, the agreed upon price will be cost reimbursable. The price for any work to be performed for the next fiscal year will be developed by the repairer, and will be submitted to MCLB Albany (Code 844-2), in sufficient time to allow for processing of agreed upon financial documentation, prior to the beginning of the fiscal year.

b. The financial management representatives of the two activities shall determine the specific procedures that will be used to transfer funds under this SOW. A Project Order, Form 1175 will be used for transfer of funds between the parties to this SOW. The Contractor will accept Marine Corps funding as cost reimbursable. Final obligation must be received no later than one (1) week before the end of the fiscal year. This agreement will go into effect as soon as funds are transferred to the Contractor.

TABLE OF CONTENTS

1.0	Scope	1
1.1	Background	1
2.0	Applicable Documents	1
2.1	Military Specifications	1
2.2	Military Standards	1
2.3	Other Government Documents and Publications	2
2.4	Industry Standards	2
3.0	Requirements	2
3.1	General Tasks	2
3.2	Detailed Tasks	2
3.3	Configuration Control	4
3.4	Government Furnished Equipment (GFE)/Government Furnished Material (GFM)	4
3.5	Contractor Furnished Material (CFM)	4
3.6	Electrostatic Discharge (ESD) Control Program	4
3.7	Quality Assurance Provisions	5
3.8	Acceptance	5
3.9	Rejection	5
4.0	Reports	5
5.0	Cost and Financial Administration	6

Appendixes

- A Standard Form 364
- B Report DA-2404

STATEMENT OF WORK FOR THE
REPAIR
OF THE
TACTICAL DEFENSE ALERT RADAR (TDAR)
ELECTRICAL FREQUENCY SYNTHESIZER
5895-01-370-5570

06 Apr 00
SOW-01-844-2-8F452B-2/1

1.0 Scope: This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor (for purposes of this SOW, Contractor is defined as the commercial or government entity performing the repair) to repair the Tactical Defense Alert Radar (TDAR) Electrical Frequency Synthesizer, NSN 5895-01-370-5570. This document contains requirements to restore the TDAR Electrical Frequency Synthesizer to Condition Code "A." Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than six months shelf-life remaining."

1.1 Background: Repair is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."

2.0 Applicable documents: The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which s in effect on the date of solicitation. In the event of conflict between the documents referred herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Specifications

MIL-C-81309 Corrosion Preventive Compounds, Water Displacing,
Ultra Thin Film

2.2 Military Standards

MIL-STD-2073-1C DoD Standard Practice for Military Packing
MIL-STD-129 DoD Standard Practice for Military Packing
MIL-STD-130 DoD Standard Practice for Identification Marking of U.S.
Military Property

Military Standards (For Reference Only)

MIL-STD-973 Configuration Management

2.3 Other Government Documents and Publications: The latest issue of those documents cited below shall be used.

TM 09480A-12&P/1	Operation and Maintenance Instructions, TDAR
TM 09480A-34&P/4	Transceiver Unit, AN/UPS-3
TM 09480A-34&P/4	Supplement
DoD 4000.25-1-M	MILSTRIP Manual
NAVICPINST 4491.2A	Requisitioning of Contractor Furnished Materiel from the Federal Supply System

2.4 Industry Standards

ANSI/EIA-625	Requirements for Handling-Electrostatic-Discharge Sensitive (ESDS) Devices
ANSI/ISO/ASQC Q9003-1994	Quality Systems - Model for Quality Assurance in Final Inspection and Test

Copies of military standards and specifications are available from the DOD Single Stock Point, Defense Automation Production Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697- 2179 or DSN 442-2179, or <http://dodssp.daps.mil>. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Base, 814 Radford Blvd., Albany, GA 31704-1128, commercial telephone number (912) 439-6761 or DSN 567-6761. Copies of engineering drawings shall be obtained from: Life Cycle Management Center, Attn (Code 825-3), 814 Radford Blvd Suite 20320, Albany GA 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 REQUIREMENTS

3.1 General Tasks: In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts necessary to inspect, diagnose, restore, test, and calibrate the Electrical Frequency Synthesizer. Upon completion of repairing the subject item it shall be Condition Code "A".

3.2 Detail Tasks: The following tasks describe the different phases for repair of the Electrical Frequency Synthesizer.

Phase I	Pre-Induction
Phase II	Repair
Phase III	Inspection, Testing and Acceptance

Phase IV Packaging, Handling, Storage and Transportation (PHS&T)

3.2.1 Phase I - Pre-Induction: A pre-induction inspection analysis shall be performed for each Electrical Frequency Synthesizer within 5 working days of induction into the Contractor’s facility for evaluation of repair capability. If repair is not feasible, assign CC “F”, otherwise assign CC “M” and induct into repair cycle. Standard Form 364 (Appendix A) and Report DA-2404 (Appendix B) shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.

3.2.2 Phase II – Repair: After pre-induction tests and inspections have been completed, repair of the Electrical Frequency Synthesizer shall be accomplished in accordance with this SOW. Deficiencies noted on Appendix (B) and Appendix (A) during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Hardware

(1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items.

(2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.

(3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.

b. Publications and Documentation: The Contractor shall use the technical documentation listed below to restore the LRU to condition code “A.”

MIL-C-81309	Corrosion Preventive Compounds, Water Displacing, Ultra Thin Film
MIL-STD-130	Identification Marking of U.S. Military Property
TM 09480A-12&P/1	Operation and Maintenance Instructions, TDAR
TM 09480A-34&P/4	Transceiver Unit, AN/UPS-3
TM 09480A-34&P/4	Supplement

3.2.3 Phase III - Inspection, Testing and Acceptance

a. Inspection, Testing, and Acceptance of each Electrical Frequency Synthesizer shall be conducted in accordance with the documents and TM’s listed in section 3.2.2.b.

b. The Contractor shall be responsible for conducting all required tests on the Electrical Frequency Synthesizer.

c. The Contractor shall be responsible for correcting deficiencies identified during inspection/ testing. MCLB (Code 844-2), Albany, Georgia, representatives may require the

Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV - Packaging, Handling, Storage, and Transportation (PHS&T)

a. The Contractor shall be responsible for preservation and packaging of the items to be delivered under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the level A requirements of MIL-STD-2073-1C, Appendix A, Table A.VI., Electronic Equipment. Items scheduled for domestic shipment, immediate use or short-term storage shall be to level B requirements.

b. Marking of all items shall be in accordance with MIL-STD-129.

c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the equipment to and from the contractor.

3.3 Configuration Control. The contractor shall apply configuration control to established configuration items. Deviations from this established baseline configuration shall not be allowed without the express written approval of the Weapon System Manager (WSM) (Code 844-2). All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. MIL-STD-973 (paragraph 5.4.2 and Appendix D) may be used as a guide. If necessary to temporarily depart from the authorized configuration baseline, the contractor shall prepare and submit a Request for Deviation or Request for Waiver. MIL-STD-973 (paragraph 5.4.3 or 5.4.4 and Appendix E) may be used as a guide.

3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM): The Management Control Activity (MCA/Code 827-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE/GFM) requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE/GFM Accountability Agreement to the Contractor for signature to establish a chain of custody and identify property responsibilities for Marine Corps Assets. The Contractor shall report receipt of all GFE/GFM, and report consumption of GFM to the MCA. The MCA, in conjunction with the WSM, reserve the right to deny any requests for GFE/GFM. Under no circumstances shall such denial form a basis for either work stoppages or delays in delivery.

3.5 Contractor Furnished Materiel (CFM): The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel (CFM) is required for repair parts, the contractor shall requisition repair parts through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11 authorizes contractors to requisition through the DoD Supply System.

3.6 Electrostatic Discharge (ESD) Control Program: The Contractor shall establish, implement and document an ESD control program following the guidelines provided in

ANSI/EIA-625. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.

3.7 Quality Assurance Provisions: The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems - Model for Quality Assurance in Final Inspection and Test. The program shall ensure quality throughout all areas to include processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the Contractor shall be responsible for performance of all inspection requirements. The Government reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.

3.8 Acceptance: The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to in-process review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and QA representatives shall be permitted to observe the work or to conduct inspections at all reasonable hours. Final inspection and acceptance testing shall be conducted at the Contractor's facility. Final acceptance shall be conducted on 100% of items to verify that the units meet all requirements.

3.9 Rejection: Failure to comply with any of the specified requirements listed herein shall be reason for rejection by the QA representative. The Contractor shall, at no additional cost provide the following:

- a. Develop a corrective action plan to correct deficiencies.
- b. Upon approval of a corrective action plan, the Contractor shall correct the deficiencies and repeat the verification until all requirements are met.

4.0 REPORTS: The Contractor shall provide Monthly Progress Reports (MPR) summarizing the progress and status of the rebuild program. Report will include name and phone number for the Contractor point of contact. This report will be submitted no later than the tenth of the following month.

- a. MPR will reflect, by serial number (S/N), the phase of repair and condition code (CC) of all Marine Corps Electrical Frequency Synthesizers held by the Contractor.
- b. Assets inducted into maintenance, will be identified as CC "M".
- c. Assets that have completed final inspection will be identified as CC "A".
- d. Assets that have completed final testing but require additional parts or components prior to issue, will be identified as CC "G".

e. Assets awaiting induction into maintenance will be identified as CC "F".

f. The reports will be submitted via E-Mail to Weapon System Management (WSM) team at this address: mbmatcom844-2@matcom.usmc.mil.

5.0 COST AND FINANCIAL ADMINISTRATION:

a. Upon completion of negotiations, the agreed upon price will be cost reimbursable. The price for any work to be performed for the next fiscal year will be developed by the repairer, and will be submitted to MCLB Albany (Code 844-2), in sufficient time to allow for processing of agreed upon financial documentation, prior to the beginning of the fiscal year.

b. The financial management representatives of the two activities shall determine the specific procedures that will be used to transfer funds under this SOW. A Project Order, Form 1175 will be used for transfer of funds between the parties to this SOW. The Contractor will accept Marine Corps funding as cost reimbursable. Final obligation must be received no later than one (1) week before the end of the fiscal year. This agreement will go into effect as soon as funds are transferred to the Contractor.

INSTRUCTIONS

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735-11.2/NAVSUPINST 4440.127E/AFR 400-54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies, and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67-7/MCO 4140.1B, Processing Discrepancy Reports Against Foreign Military Sales Shipments. CIVILIAN AGENCIES: See FPMR handbook cited in 19(2)(a).

REPORT OF DISCREPANCY (ROD)		1. DATE OF PREPARATION	2. REPORT NUMBER
<input type="checkbox"/> SHIPPING <input type="checkbox"/> PACKAGING			
3. TO (Name and address, include ZIP Code)		4. FROM (Name and address, include ZIP Code)	
5a. SHIPPER'S NAME		5b. NUMBER AND DATE OF INVOICE	6. TRANSPORTATION DOCUMENT NUMBER (GBL., Waybill, TCN, etc.)
7a. SHIPPER'S NUMBER (Purchase Order/Shipment, Contract, etc.)	7b. OFFICE ADMINISTERING CONTRACT		8. REQUISITIONER'S NUMBER (Requisition, Purchase Request, etc.)
9. SHIPMENT, BILLING, AND RECEIPT DATA			
NSN/PART NUMBER AND NOMENCLATURE (a)	UNIT OF ISSUE (b)	QUANTITY SHIPPED/BILLED (c)	QUANTITY RECEIVED (d)
10. DISCREPANCY DATA			
	QUAN-TITY (a)	UNIT PRICE (b)	TOTAL COST (c)
	CODE (d)		
11. AC-TION CODE			
12. REMARKS (Continue on separate sheet of paper if necessary)			

1 DISCREPANCY CODES	2 ACTION CODES
CONDITION OF MATERIAL C1 - In condition other than that indicated on release/receipt document C2 - Expired shelf life C3 - Damaged parcel post shipment SUPPLY DOCUMENTATION D1 - Not received D2 - Illegible or mutilated D3 - Incomplete, improper or without authority (Only when receipt cannot be properly processed) MISDIRECTED MATERIAL M1 - Addressed to wrong activity OVERAGE/DUPLICATE SHIPMENTS O1 - Quantity in excess of that on receipt document O2 - Quantity in excess of that requested (Other than unit of issue pack) O3 - Quantity duplicates shipment PACKING DISCREPANCY P1 - Improper preservation P2 - Improper packing P3 - Improper marking P4 - Improper unitization	PRODUCT QUALITY DEFICIENCIES Q1 - Deficient material (Applicable to Grant Aid and FMS shipments) SHORTAGE OF MATERIAL S1 - Quantity less than that on receipt document S2 - Quantity less than that requested (Other than unit of issue pack) S3 - Non-receipt of parcel post shipments ITEM TECHNICAL DATA MARKINGS (i.e., Name Plates, Log Books, Operating Handbooks, Special instructions, etc.) T1 - Missing T2 - Illegible or mutilated T3 - Precautionary operational markings missing T4 - Inspection data missing or incomplete T5 - Serviceability operating date missing or incomplete T6 - Warranty data missing WRONG ITEM (Identify requested item as a separate copy in Item 9 above) W1 - Incorrect item received W2 - Unacceptable substitute OTHER DISCREPANCIES Z1 - See remarks
13. FUNDING AND ACCOUNTING DATA	1A - Disposition instructions requested (Reply on reverse) 1B - Material being retained (See remarks) 1C - Supporting supply documentation requested 1D - Material still required expedite shipment (Not applicable to FMS) 1E - Local purchase material to be returned at supplier's expense unless disposition instructions to the contrary are received within 15 days (Reply on reverse) (Not applicable to FMS) 1F - Replacement shipment requested (Not applicable to FMS) 1G - Reshipment not required. Item to be re-requisitioned 1H - No action required. Information only. 1Z - Other action requested (See remarks)

14a. TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PREPARING OFFICIAL	14b. SIGNATURE
15. DISTRIBUTION ADDRESSEES FOR COPIES	

16. FROM:	17. DISTRIBUTION ADDRESSEES FOR COPIES
-----------	--

18. TO:	Use window envelope to mail this document. Insert name and address, including ZIP Code, starting one typing space below the left dot. Each address line must NOT extend beyond right dot. Address must not exceed four single space typing lines.
---------	---

19. IN ACCORDANCE WITH NOTICE OF DISCREPANCY ON FACE OF THIS FORM:

a. MATERIAL <input type="checkbox"/> HAS BEEN <input type="checkbox"/> WILL BE SHIPPED <small>Fold here</small>	DOCUMENT NUMBER	b. <input type="checkbox"/> NO RECORD OF SHIPMENT. RESUBMIT REPORT TO PROPER OFFICE UNDER APPROPRIATE REGULATION.
--	-----------------	---

c. <input type="checkbox"/> AN ADJUSTMENT IN BILLING HAS BEEN/WILL BE PROCESSED AS A:	<input type="checkbox"/> CREDIT <input type="checkbox"/> DEBIT	d. <input type="checkbox"/> INVOICE/BILL ATTACHED	e. <input type="checkbox"/> PROOF OF DELIVERY (Parcel Post Shipments) OR EVIDENCE OF SHIPMENT ENCLOSED.
---	--	---	---

f. AN ADJUSTMENT IN BILLING FOR THE REPORTED DISCREPANCY WILL NOT BE PROCESSED FOR THE FOLLOWING REASON WHICH IS CITED IN THE INDICATED REGULATION.

(1) REASON FOR NOT PROCESSING	(2) PRESCRIBING REGULATION
(a) DISCREPANCY WAS NOT REPORTED WITHIN THE TIME FRAMES ALLOWED AND/OR	(a) CHAPTER 5 OF THE GSA HANDBOOK, DISCREPANCIES OR DEFICIENCIES IN GSA OR DOD SHIPMENTS, MATERIAL, OR BILLINGS (FPMR 101-26.8)
(b) DOLLAR VALUE DOES NOT MEET THE CRITERIA PRESCRIBED IN THE REGULATION OR AGREEMENT INDICATED IN 19f(2)	(b) CHAP. 2 AND/OR 7 OF DOD 4000.25-7-M, MILITARY STANDARD BILLING SYSTEM (MILSBILLS) AND/OR DD 1513, U.S. DOD OFFER AND ACCEPTANCE, AS APPLICABLE.

20. THE FOLLOWING DISPOSITION IS TO BE MADE OF THE REFERENCED MATERIAL:

a. <input type="checkbox"/> PROCESS FOR DISPOSAL IN ACCORDANCE WITH SERVICE/AGENCY DIRECTIVES	b. <input type="checkbox"/> REPRESENTATIVE WILL CALL FOR DISCUSSION CONCERNING DISPOSITION IN:	DAYS
c. <input type="checkbox"/> RETAIN MATERIAL AT NO CHARGE.	d. <input type="checkbox"/> MATERIAL WILL BE PICKED UP IN:	DAYS

e. SHIP MATERIAL (Specify location):

(1) <input type="checkbox"/> GBL APPROPRIATION CHARGEABLE:			
(2) <input type="checkbox"/> CHARGES COLLECT - VIA:	<input type="checkbox"/> FREIGHT	<input type="checkbox"/> EXPRESS	<input type="checkbox"/> PARCEL POST
(3) <input type="checkbox"/> PARCEL POST LABEL ATTACHED	(4) <input type="checkbox"/> FREIGHT PREPAID		

(\$ _____ postage advanced herewith.
NOTE: Please enclose postage. Material cannot be returned Parcel Post collect.)

f. OTHER (Specify)

21. <input type="checkbox"/> IF MATERIAL IS STILL REQUIRED, SUBMIT NEW REQUISITION	22. <input type="checkbox"/> REPLACEMENT WITH SATISFACTORY MATERIAL WILL BE MADE ON OR BEFORE:	DATE
--	--	------

23. REMARKS (Continue on separate sheet of paper if necessary)

24a. TYPED OR PRINTED NAME AND PHONE NUMBER OF PREPARING OFFICIAL	24b. SIGNATURE	24c. DATE
---	----------------	-----------

