


**SOW-00-847-4-8H766B-1/1**  
**1 October 1999**

**STATEMENT OF WORK (SOW) FOR THE**  
**Rebuild of the Sensor Mobile Monitor System AN/MS-77**  
**AC to DC Converter Assembly NSN 5895-01-443-7974**



**R. BOSWELL**

Equipment Specialist  
Elec/Sensor Section (Code 847-4)  
MCLB, Albany, GA



**E. POWELL**

Inventory Manager  
Elec/Sensor Section (Code 847-4)  
MCLB, Albany, GA



**PHYLLIS W. SPIVEY**

Weapon System/Equipment Manager  
Elec/Sensor Section (Code 847-4)  
MCLB, Albany, GA

**STATEMENT OF WORK FOR THE  
Rebuild of the Sensor Mobile Monitor System AN/MS-77  
AC to DC Converter Assembly NSN 5895-01-443-7974**

1.0 SCOPE. This Statement of Work (SOW) identifies the work effort that shall be performed by the contractor to rebuild the AC to DC Converter Assembly, NSN 5895-01-443-7974. This converter provides a 12 volt DC output with a 120 volt AC input.

2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the DoD Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standard

MIL-STD-129	DoD Standard Practice for Military Marking
MIL-STD-2073-1C	DoD Standard Practice for Military Packaging

Military Standard (For Reference Only)

MIL-STD-973	Configuration Management
-------------	--------------------------

2.2 Other Government Publications

87001B3540	Technical Data Package 87001B3540/Cage 01365
DOD 4000.25-1-M	MILSTRIP Manual
NAVICPINST 4491.2A	Requisitioning of Contractor Furnished Material From The Federal Supply System

2.3 Industry Standard

EIA-625	EIA Standard, Requirements for Handling Electrostatic-Discharge-Sensitive (ESDS) Devices
ANSI/ISO/ASQC Q9003-1994	Quality Systems

Copies of Military Specifications and Standards are available from the Naval Publications and Forms Center, (Attn: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, GA 31704-1128. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, ATTN: (Code 825-3), 814 Radford Blvd. Suite 20320, Albany, GA 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

**3.0 Requirements**

3.1 The contractor shall rebuild the AC to DC converter assembly in accordance with Technical Data Package 87001B3540.

3.2 The contractor shall establish, implement and document an ESD control program following the guidelines provided in EIA-625. ESD protective measures shall be used during rebuild, test, marking, packaging, storing and transporting the AC to DC converter.

3.3 Quality acceptance and test procedures shall be in accordance with the Test Requirements, drawing 87001B3544/CAGE 01365, contained in the Technical Data Package.

3.4 Configuration Control. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without receiving prior written authorization. The baseline configuration has been defined by documentation contained in Technical Data Package 87001B3540. If it is necessary to depart from the authorized configuration baseline, the contractor shall submit a Request for Deviation or Request for Waiver using MIL-STD-973, paragraph 5.4.3 or 5.4.4., as a guide.

3.5 Quality Assurances Provisions. The contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test.

**3.6 Packaging, Handling, Storage and Transportation (PHS&T)**

a. The contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items being prepared for long term storage or shipment to overseas destinations shall be to the Level "A" requirements of MIL-STD-2073-1C, Table A.VI, Electronic Equipment. Items being prepared for domestic shipment and/or immediate use shall be to Level "B."

b. Marking shall be in accordance with MIL-STD-129.

c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the rebuilt equipment and the contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the equipment to and from the contractor.

3.7 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). GFE is government owned equipment authorized by contract for use by a commercial/Government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements, the Management

Control Activity (MCA/G316-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.

3.8 Contractor Furnished Materiel (CFM). The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DOD Supply System. DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.