


DATE: 06 Apr 00

STATEMENT OF WORK FOR THE
SCREENING/REPAIR
OF THE
LINE REPLACEABLE UNITs (LRU)
AVENGER WEAPON SYSTEM, AN/TWQ-1
1430-01-378-6963

SOW-01-844-2-09871A-3/1

1. This SOW identifies the work effort that shall be performed by the contractor to repair the Avenger Line Replaceable Units.
2. The attached manuscript has been reviewed and is concurred upon by the following signers:


LAWRENCE E. HERNDON
Weapons System Manager
Radar Systems Section (Code 844-2)
MARCORLOGBASES, Albany, GA


RICHARD E. JONES
Team Leader
Equipment Specialist
(Code 844-2)
MARCORLOGBASES, Albany, GA



CYNTHIA A. POOLE
Team Leader
Inventory Manager
(Code 844-2)
MARCORLOGBASES, Albany, GA

TABLE OF CONTENTS

	Page
1.0 Scope	1
2.0 Applicable Documents	1
2.1 Military Standards	1
2.2 Other Government Documents and Publications	2
2.3 Industry Standards	2
3.0 Requirements	3
3.1 General Tasks	3
3.2 Detail Tasks	3
3.3 Configuration Control	5
3.4 Government Furnished Equipment and Materials	5
3.5 Contractor Furnished Materials (CFM)	6
3.6 Electrostatic Discharge (ESD) Control Program	6
3.7 Quality Assurance Provisions	6
3.8 Acceptance	6
3.9 Rejection	6
4.0 Reports	6
5.0 Cost and Financial Administration	7

Appendixes

A	Standard Form 364
B	Report DA-2404
C	Monthly Screening Report Format
D	Listing of Avenger Line Replaceable Units (LRU)

STATEMENT OF WORK FOR THE
SCREENING/REPAIR
OF THE
LINE REPLACEABLE UNITs (LRU)
AVENGER WEAPON SYSTEM, AN/TWQ-1
1430-01-378-6963

06 Mar 00
SOW-01-844-2-09871A-3/1

1.0 Scope: This Statement of Work (SOW) establishes, sets forth tasks and identifies the work effort that the Contractor will perform to screen and repair Avenger, AN/TWQ-1, Line Replaceable Units (LRU). These documents contain requirements to restore the LRUs to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than 6 months shelf-life remaining." Within this SOW, the term Line Replaceable Unit refers to the LRUs listed in Appendix (D), which the Avenger Inventory Manager, at Marine Corps Logistics Bases (MCLB) Albany, Georgia, will periodically update. Screening or repairing of LRUs, not listed in Appendix (D), will only be performed when expressly authorized, in writing, by the Avenger Inventory Manager. When screened or repaired, the Contractor will assign the appropriate condition code to the LRU.

1.1 Background: Repair is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment, components, or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."

2.0 Applicable Documents: The following documents of the issue specified herein form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of defense Index of Specifications and standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referred herein and the contents of the SOW, the content of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-2073-1C	DoD Standard Practice for Military Packaging
MIL-STD-129	DoD Standard Practice for Military Marking
MIL-STD-130	DoD Standard Practice for Identification Marking of U.S. Military Property
NAS 3426	Electrical Harness-Cable Assemblies, Packaging of

Military Standards (For Reference Only)

MIL-STD-973 Configuration Management

2.2 Other Government Documents and Publications

TB 9-1430-433-14 TB 09871A-12/12 TM 09871A-12&P	Warranty Program for Avenger and Standard Vehicle Mounted Launcher Operator & Maintenance Instructions for Guided Missile Battery Control Central, Vehicle Mounted, Avenger Air Defense System AN/TWQ-1
TM 9-1425-433-10 TM 09871A-10/2	Operator's Manual for Guided Missile Battery Control Central, Vehicle Mounted, Avenger, Air Defense Weapon System
TM 9-1425-433-BD TM 09871A-BD/3	Battlefield Damage Assessment and Repair, Guided Missile Battery Control Central, Vehicle Mounted Weapon System
TM 9-1427-433-34 TM 09871A-34/4	Avenger Line Replaceable Units
TM 9-1440-433-24P TM 09871A-24P/6	Guided Missile Battery Control Central, Vehicle Mounted: AN/TWQ-1 AVENGER Air Defense Weapon System
TM 9-1440-434-24&P TM 09871A-24&P/7	Launcher, Guided Missile, Vehicle Mounted: XM294
TM 9-4935-433-14 TM 09871A-14/9	Operator, Organizational, Direct Support and General Support Maintenance for Avenger LRU Test Program Set TS-4223/USM
TM 9-4935-433-14P TM 09871A-14P/10	Operator, Organizational, Direct Support and General Support Maintenance for Avenger LRU Test Program Set TS-4223\USM
AL 00000100	Special Packaging Instruction
AL12914763	Special Packaging Instruction
AL12983865	Special Packaging Instruction
AL12986027	Special Packaging Instruction
AL13203844	Special Packaging Instruction
AM P9379277	Special Packaging Instruction

2.4 Industry Standards

ANSI/EIA-625	Requirements for Handling-Electrostatic-Discharge Sensitive (ESDS) Devices
ANSI/ISO/ASQC Q9003-1994	Quality Systems - Model for Quality Assurance in Final Inspection and Test

Copies of military standards and specifications are available from the DOD Single Stock Point, Defense Automation Production Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697- 2179 or DSN 442-2179, or

<http://dodssp.daps.mil>. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Base, 814 Radford Blvd., Albany, GA 31704-1128, commercial telephone number (912) 439-6761 or DSN 567-6761. Copies of engineering drawings shall be obtained from: Life Cycle Management Center, Attn (Code 825-3), 814 Radford Blvd Suite 20320, Albany GA 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 Requirements

3.1 General Tasks: In fulfilling the specified requirements, the Contractor shall:

- a. Provide materials, labor, equipment, facilities and missing/repair parts necessary to inspect, diagnose, restore, test, and calibrate the Avenger LRU. Upon completion of screening, the subject LRU shall be Condition Code "A".
- b. Requisition replacement parts from the applicable source of supply.
- c. Ensure LRUs are modified to current configuration. If a modification has not been applied, indicate on the Limited Technical Inspection at time of induction, as prescribed in paragraph 3.2.1.

3.2 Detail Tasks: The following tasks describe the different phases for screening/repair of the Avenger LRUs.

Phase I	Pre-Introduction
Phase II	Rebuild
Phase III	Inspection, Testing and Acceptance
Phase IV	Packaging, Handling, Storage and Transportation (PHS&T).

3.2.1 Phase I - Pre-Induction: A pre-induction inspection analysis shall be performed for each LRU within 5 working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign CC "F", otherwise assign CC "M" and induct into repair cycle. Standard Form 364 (Appendix A) and Report DA-2404 (Appendix B) shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.

3.2.2 Phase II – Repair: After pre-induction tests and inspections have been completed, repair of the LRU shall be accomplished in accordance with this SOW. Deficiencies noted on Appendix A and Appendix B during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Hardware

(1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items.

(2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.

(3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.

b. Publications and Documentation: The Contractor shall use the following technical documentation to restore the Coolant Reservoir Assembly to condition code "A." The following Standards and Publications shall be used to assist the Contractor:

MIL-STD-130	DoD Standard Practice for Identification Marking of U.S. Military Property
TB 9-1430-433-14	Warranty Program for Avenger and
TB 09871A-12/12	Standard Vehicle Mounted Launcher
TM 09871A-12&P	Operator & Maintenance Instructions for Guided Missile Battery Control Central, Vehicle Mounted, Avenger Air Defense System AN/TWQ-1
TM 9-1425-433-10	Operator's Manual for Guided Missile Battery Control
TM 09871A-10/2	Central, Vehicle Mounted, Avenger, Air Defense Weapon System
TM 9-1425-433-BD	Battlefield Damage Assessment and Repair, Guided
TM 09871A-BD/3	Missile Battery Control Central, Vehicle Mounted Weapon System
TM 9-1427-433-34	Avenger Line Replaceable Units
TM 09871A-34/4	
TM 9-1440-433-24P	Guided Missile Battery Control Central, Vehicle Mounted:
TM 09871A-24P/6	AN/TWQ-1 AVENGER Air Defense Weapon System
TM 9-1440-434-24&P	Launcher, Guided Missile, Vehicle Mounted: XM294
TM 09871A-24&P/7	
TM 9-4935-433-14	Operator, Organizational, Direct Support and General
TM 09871A-14/9	Support Maintenance for Avenger LRU Test Program Set TS-4223/USM
TM 9-4935-433-14P	Operator, Organizational, Direct Support and General
TM 09871A-14P/10	Support Maintenance for Avenger LRU Test Program Set TS-4223\USM

c. Repair time shall not exceed ninety days as a norm. The Avenger Inventory Managers shall monitor and direct retention or return to stock if it is anticipated that the repair time will exceed ninety days.

3.2.3 Phase III - Inspection, Testing and Acceptance

- a. Inspection, testing, and acceptance of each LRU shall be conducted in accordance with TM 09871A-12&P. Records of tests shall be maintained for seven years.
- b. The Contractor shall be responsible for conducting all required tests on the LRUs.
- c. The Contractor shall be responsible for correcting deficiencies identified during inspection/ testing. MCLB (Code 844-2), Albany, Georgia, representatives may require the Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV - Packaging, Handling, Storage, and Transportation (PHS&T)

- a. The Contractor shall be responsible for packaging and preservation of the items being repaired under the terms of this statement of work. Items scheduled for long term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of the packaging data cited on the Appendix D. Items scheduled for domestic shipment, immediate use or short-term storage shall be to level "B" requirements. Copies of SPI's and packaging assistance may be obtained from Materiel Management Division, Attn: Logistics Support Section (822-1), Suite 20320, 814 Radford Boulevard, Albany, GA 31704-0320, Commercial telephone (12) 439-6786 or DSN 567-6786.
- b. Marking of all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the contractor.

3.3 Configuration Control. The contractor shall apply configuration control to established configuration items. Deviations from this established baseline configuration shall not be allowed without the express written approval of the Weapon System Manager (WSM) (Code 844-2). All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. MIL-STD-973 (paragraph 5.4.2 and Appendix D) may be used as a guide. If necessary to temporarily depart from the authorized configuration baseline, the contractor shall prepare and submit a Request for Deviation or Request for Waiver. MIL-STD-973 (paragraph 5.4.3 or 5.4.4) may be used as a guide.

3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM): GFE The Management Control Activity (MCA/Code 827-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE/GFM) requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE/GFM Accountability Agreement to the Contractor for signature to establish a chain of custody and identify property responsibilities for Marine Corps Assets. The Contractor shall

report receipt of all GFE/GFM, and report consumption of GFM to the MCA. The MCA, in conjunction with the WSM, reserve the right to deny any requests for GFE/GFM. Under no circumstances shall such denial form a basis for either work stoppages or delays in delivery.

3.5 Contractor Furnished Materiel (CFM): The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DOD Supply System. DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.

3.6 Electrostatic Discharge (ESD) Control Program: The Contractor shall establish, implement and document an ESD control program following the guidelines provided in ANSI/EIA-625. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.

3.7 Quality Assurance Provisions: The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems - Model for Quality Assurance in Final Inspection and Test. The program shall ensure quality throughout all areas to include processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the Contractor shall be responsible for performance of all inspection requirements. The Government reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.

3.8 Acceptance: The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation material written or compiled, shall be subject to in-process review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and the user shall be permitted to observe the work or to conduct inspections at all reasonable hours. Final inspection and acceptance testing shall be conducted at the Contractor's Facility. Final acceptance shall be conducted on 100% of items to verify that the units meet all requirements.

3.9 Rejection: Failure to comply with any of the specified requirements listed herein shall be reason for rejection by the Marine Corps representative. The Contractor shall, at no additional cost to MCLB, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.

4.0 Reports

4.1 In fulfilling the specified requirements, the Contractor is required to submit:

a. A Monthly Avenger Screening Program Report, Appendix (C), which shall include all data from the previous months of the current fiscal year. The report should include all

completed and In-process items in NSN sequence. This report will be submitted no later than the tenth of the following month.

b. The reports will be submitted via E-Mail to Weapon System Management (WSM) team at this address: mbmatcom844-2@matcom.usmc.mil.

c. Prior to the submission of the final report (10 October), the Contractor shall close out the LRU Master Work Schedule Line item number that provides program funding. Non-closure shall not be cause for delay of the final report.

5.0 Cost and Financial Administration

a. Upon completion of negotiations, the agreed upon price will remain fixed for the duration of the repair effort, or through the end of the fiscal year, whichever comes first. The price for any work to be performed for the next fiscal year will be developed by the contractor facility, and will be submitted to MCLB Albany (Code 844-2), in sufficient time to allow for processing of agreed upon documentation, prior to the beginning of the fiscal year.

b. The financial management representatives of the two activities shall determine the specific procedures that will be used to transfer funds under this SOW. A Project Order, Form 1175 will be used for transfer of funds between the parties to this SOW. The Contractor will accept Marine Corps funding as cost reimbursable. Final obligation must be received no later than one (1) week before the end of the fiscal year. This agreement will go into effect as soon as funds are transferred to the Contractor.

5.1 The Program Pricing Policy for repair costs will be determined as follows:

a. Labor cost will be calculated and recorded against each item processed based on agreed labor hour rates.

b. Parts costs will be stratified over the dollar value (Standard Unit Price) of each item processed to include "lot-quantity" materials.

c. The pricing policy will allow for determination of fund balances based on Monthly Avenger Screening Program Reports and must equal the total funded for a fiscal year upon completion of the last in process items for that fiscal year.

INSTRUCTIONS

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735-11.2/NAVSUPINST 4440.127E/AFR 400-54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies, and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67-7/MCO 4140.1B, Processing Discrepancy Reports Against Foreign Military Sales Shipments. CIVILIAN AGENCIES: See FPMR handbook cited in 19(2)(a).

REPORT OF DISCREPANCY (ROD)		1. DATE OF PREPARATION	2. REPORT NUMBER
<input type="checkbox"/> SHIPPING <input type="checkbox"/> PACKAGING			
3. TO (Name and address, include ZIP Code)		4. FROM (Name and address, include ZIP Code)	
5a. SHIPPER'S NAME		5b. NUMBER AND DATE OF INVOICE	6. TRANSPORTATION DOCUMENT NUMBER <i>(GBL., Waybill, TCN, etc.)</i>
7a. SHIPPER'S NUMBER (Purchase Order/shipment, Contract, etc.)	7b. OFFICE ADMINISTERING CONTRACT		8. REQUISITIONER'S NUMBER (Requisition, Purchase Request, etc.)

9. SHIPMENT, BILLING, AND RECEIPT DATA					10. DISCREPANCY DATA				11. ACTION CODE
NSN/PART NUMBER AND NOMENCLATURE <small>(a)</small>	UNIT OF ISSUE <small>(b)</small>	QUANTITY SHIPPED/BILLED <small>(c)</small>	QUANTITY RECEIVED <small>(d)</small>	QUANTITY <small>(a)</small>	UNIT PRICE <small>(b)</small>	TOTAL COST <small>(c)</small>	CODE <small>(d)</small>		

12. REMARKS (Continue on separate sheet of paper if necessary)

1 DISCREPANCY CODES	2 ACTION CODES
CONDITION OF MATERIAL C1 - In condition other than that indicated on release/receipt document C2 - Expired shelf life C3 - Damaged parcel post shipment SUPPLY DOCUMENTATION D1 - Not received D2 - Illegible or mutilated D3 - Incomplete, improper or without authority <i>(Only when receipt cannot be properly processed)</i> MISDIRECTED MATERIAL M1 - Addressed to wrong activity OVERAGE/DUPLICATE SHIPMENTS O1 - Quantity in excess of that on receipt document O2 - Quantity in excess of that requested <i>(Other than unit of issue pack)</i> O3 - Quantity duplicates shipment PACKING DISCREPANCY P1 - Improper preservation P2 - Improper packing P3 - Improper marking P4 - Improper unitization	PRODUCT QUALITY DEFICIENCIES Q1 - Deficient material <i>(Applicable to Grant Aid and FMS shipments)</i> SHORTAGE OF MATERIAL S1 - Quantity less than that on receipt document S2 - Quantity less than that requested <i>(Other than unit of issue pack)</i> S3 - Non-receipt of parcel post shipments ITEM TECHNICAL DATA MARKINGS (i.e., Name Plates, Log Books, Operating Handbooks, Special Instructions, etc.) T1 - Missing T2 - Illegible or mutilated T3 - Precautionary operational markings missing T4 - Inspection data missing or incomplete T5 - Serviceability operating data missing or incomplete T6 - Warranty data missing WRONG ITEM (Identify requested item as a separate copy in item 9 above) W1 - Incorrect item received W2 - Unacceptable substitute OTHER DISCREPANCIES Z1 - See remarks
13. FUNDING AND ACCOUNTING DATA	1A - Disposition instructions requested <i>(Reply on reverse)</i> 1B - Material being retained <i>(See remarks)</i> 1C - Supporting supply documentation requested 1D - Material still required expedite shipment <i>(Not applicable to FMS)</i> 1E - Local purchase material to be returned at supplier's expense unless disposition instructions to the contrary are received within 15 days <i>(Reply on reverse) (Not applicable to FMS)</i> 1F - Replacement shipment requested <i>(Not applicable to FMS)</i> 1G - Reshipment not required. Item to be re-requisitioned 1H - No action required. Information only. 1Z - Other action requested <i>(See remarks)</i>

14a. TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PREPARING OFFICIAL	14b. SIGNATURE
---	----------------

15. DISTRIBUTION ADDRESSEES FOR COPIES

16. FROM:

17. DISTRIBUTION ADDRESSEES FOR COPIES

18. TO:

Use window envelope to mail this document. Insert name and address, including ZIP Code, starting one typing space below the left dot. Each address line must NOT extend beyond right dot. Address must not exceed four single space typing lines.

19. IN ACCORDANCE WITH NOTICE OF DISCREPANCY ON FACE OF THIS FORM:

a. MATERIAL HAS BEEN WILL BE SHIPPED DOCUMENT NUMBER b. NO RECORD OF SHIPMENT. RESUBMIT REPORT TO PROPER OFFICE UNDER APPROPRIATE REGULATION.

c. AN ADJUSTMENT IN BILLING HAS BEEN/WILL BE PROCESSED AS A: CREDIT DEBIT d. INVOICE/BILL ATTACHED e. PROOF OF DELIVERY (Parcel Post Shipments) OR EVIDENCE OF SHIPMENT ENCLOSED.

f. AN ADJUSTMENT IN BILLING FOR THE REPORTED DISCREPANCY WILL NOT BE PROCESSED FOR THE FOLLOWING REASON WHICH IS CITED IN THE INDICATED REGULATION.

(1) REASON FOR NOT PROCESSING	(2) PRESCRIBING REGULATION
(a) DISCREPANCY WAS NOT REPORTED WITHIN THE TIME FRAMES ALLOWED AND/OR	(a) CHAPTER 5 OF THE GSA HANDBOOK, DISCREPANCIES OR DEFICIENCIES IN GSA OR DOD SHIPMENTS, MATERIAL, OR BILLINGS (FPMR 101-26.8)
(b) DOLLAR VALUE DOES NOT MEET THE CRITERIA PRESCRIBED IN THE REGULATION OR AGREEMENT INDICATED IN 19f(2)	(b) CHAP. 2 AND/OR 7 OF DOD 4000.25-7-M, MILITARY STANDARD BILLING SYSTEM (MILSBILLS) AND/OR DD 1513, U.S. DOD OFFER AND ACCEPTANCE, AS APPLICABLE.

20. THE FOLLOWING DISPOSITION IS TO BE MADE OF THE REFERENCED MATERIAL:

a. PROCESS FOR DISPOSAL IN ACCORDANCE WITH SERVICE/AGENCY DIRECTIVES b. REPRESENTATIVE WILL CALL FOR DISCUSSION CONCERNING DISPOSITION IN: DAYS

c. RETAIN MATERIAL AT NO CHARGE. d. MATERIAL WILL BE PICKED UP IN: DAYS

e. SHIP MATERIAL (Specify location): (1) GBL APPROPRIATION CHARGEABLE: (2) CHARGES COLLECT VIA: FREIGHT EXPRESS PARCEL POST (\$ _____ postage advanced herewith. NOTE: Please enclose postage. Material cannot be returned Parcel Post collect.) (3) PARCEL POST LABEL ATTACHED (4) FREIGHT PREPAID

f. OTHER (Specify)

21. IF MATERIAL IS STILL REQUIRED, SUBMIT NEW REQUISITION 22. REPLACEMENT WITH SATISFACTORY MATERIAL WILL BE MADE ON OR BEFORE: DATE

23. REMARKS (Continue on separate sheet of paper if necessary)

24a. TYPED OR PRINTED NAME AND PHONE NUMBER OF PREPARING OFFICIAL 24b. SIGNATURE 24c. DATE

AVENGER - LINE REPLACEABLE UNITS

FSC	NIIN	NOMENCLATURE	PACKAGING
1240	013203844	Optical Sight Head	Special Packaging Instruction - AL13203844
1240	013347329	Mount, Sight	Special Packaging Instruction - AL00000100
1290	013885433	Remote Control System	MIL-STD-2073-1C, App.A, Tbl A.VI., Elect. Equip.
1430	012288394	Electronic Assembly, Interface (IEA)	MIL-STD-2073-1C, App.A, Tbl A.VI., Elect. Equip.
1430	012914763	Forward Looking Infrared Radar (FLIR)	Special Packaging Instruction - AL12914763
1430	012983865	Control Assembly, Electronic	Special Packaging Instruction - AL12983865
1430	013087006	Laser PFN Optical Assembly	MIL-STD-2073-1C, App.A, Tbl A.VI., Elect. Equip.
1430	013098269	Projector Assembly	MIL-STD-2073-1C, Method 50
1430	013167766	Laser Range Finder	MIL-STD-2073-1C, App.A, Tbl A.VI., Elect. Equip.
1430	013172706	Scan Head Assembly	MIL-STD-2073-1C, App.A, Tbl A.VI., Elect. Equip.
1430	013443503	Console, Assault Fire	MIL-STD-2073-1C, Method 52
1430	013627029	Beam Assembly, Launch	MIL-STD-2073-1C, App.A, Tbl A.VI., Elect. Equip.
1430	013676540	Channel Assembly, AM	MIL-STD-2073-1C, App.A, Tbl A.VI., Elect. Equip.
1430	013824310	Control Electronics, Avenger (ACE)	MIL-STD-2073-1C, App.A, Tbl A.VI., Elect. Equip.
1440	012986028	Reservoir Assembly, Cooler	MIL-STD-2073-1C, App.A, Tbl A.VI., Elect. Equip.
1440	012986880	Traversing Unit, GML	MIL-STD-2073-1C, App.A, Tbl A.VI., Elect. Equip.
5840	013261290	Tracking Group, Video	MIL-STD-2073-1C, App.A, Tbl A.VI., Elect. Equip.
5977	012256208	Slip Ring Assembly	MIL-STD-2073-1C, App.A, Tbl A.VI., Elect. Equip.
5995	013079060	Cable Assembly, Special	NAS 3426
5995	013087048	Cable Assembly, Special	NAS 3426
5995	013180924	Cable Assembly, Special	NAS 3426
5998	011120041	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	011927226	CCA	Special Packaging Instruction - AM P9379277
5998	013064882	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013079108	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013079109	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013087077	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013091437	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013094206	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013094208	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013094209	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013099311	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013099319	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013102204	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013103164	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013103165	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013140968	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013147752	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013147753	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013180964	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013180965	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013187042	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013236213	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013236214	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013267170	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013422979	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013454285	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013675136	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013855255	CCA(A2)	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013855509	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5998	013905948	CCA	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5999	011107721	Components Assembly, Electronic	MIL-STD-2073-1C, App.J, Tbl J.Ia., S.P.C. "GX".
5999	012288503	Electronics Assembly, Launcher	MIL-STD-2073-1C, App.A, Tbl A.VI., Elect. Equip.
6150	013079034	Cable Assembly, Special	NAS 3426
6150	013091397	Cable Assembly, Special	NAS 3426
6150	013092609	Wiring Harness, Branched	NAS 3426
6150	013199503	Cable Assembly, Special	NAS 3426
6150	013276746	Cable Assembly, RCU	NAS 3426
6210	013115162	Lens, Afocal Zoom	MIL-STD-2073-1C, App.A, Tbl A.VI., Optical Equip.
6615	010990164	Gyroscope, Rate	MIL-STD-2073-1C, App.A, Tbl A.VI., Elect. Equip.
7025	012986027	Terminal, Data Processing	Special Packaging Instruction - AL12986027

