


STATEMENT OF WORK (SOW)
For the Rebuild of the
Switchboard, Telephone – Automatic SB-3865(P)/TTC
NSN: 5805-01-187-9399
P/N: 1330002G1; CAGE: 28528



ROY G. SUMNER
Switch Systems Section
Equipment Specialist
(Code 847-3)
MCLB, Albany GA



DONNA LEVRON
Inventory Manager
Switch Systems Section
(Code 847-3)
MCLB, Albany GA



WILEY H. COOK, JR.
Weapon System/Equipment Manager
Switch Systems Section (Code 847-3)
MCLB, Albany GA

1330002	Switchboard, Telephone, Automatic
1330150	Module Switch Assembly
PL1330150	Parts List, Module Switch Assembly
1330983	Power Supply Assembly
PL1330983	Parts List, Power Supply Assembly
1333052	Diaphase TACOM Switchboard Production Test

2.3 Industry Standards

ANSI/EIA-625	Requirements for Handling Electrostatic-Discharge Sensitive ESDS Devices
ANSI/ISO/ASQC Q9003-1994	Quality Systems

Copies of military specifications and standards are available from the Naval Publications and Forms Center, (Attn: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Marine Corps Logistics Bases, (Code 891) Attn: Contracting Officer, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center (Code 825-3), 814 Radford Blvd., Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 Requirements

3.1 The contractor shall rebuild the SB-3865(P)/TTC in accordance with RS 08439A-50, TM 08439A-14P/4, TM 08349A/08440A; and Engineering Drawings 1330002, 1330150, PL1330150, 1330983, PL1330983, and 1333052.

3.2 Packaging, Handling, Storage and Transportation (PHS&T).

a. The contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items being prepared for long term storage and/or shipment to overseas destinations shall be preserved and packaged in accordance with Level "A" requirements of MIL-STD-2073-1C, Appendix A, Table A.VI, Electronic Equipment. Items being prepared for domestic shipment or immediate use shall be to Level "B" requirements.

b. Marking of all items shall be in accordance with MIL-STD-129.

c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

3.3 Configuration Control. The contractor shall implement configuration control to established configuration items. Deviation from the established baseline configuration will not be allowed without the approval in writing from the Weapon System/Equipment Manager (Code 847-3). If necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a request for Deviation or Request for Waiver. MIL-STD-973 (paragraph 5.4.3 or 5.4.4 and Appendix E) may be used as a guide.

3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). GFE is government owned equipment authorized by contract for use by a commercial/government contractor. It is neither consumed during the production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/822), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.

3.5 Quality Assurances Provisions. The contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test.

3.6 Electrostatic Discharge (ESD) Control Program. The contractor shall establish, implement and document an ESD control program following the guidelines provided in ANSI/EIA-625. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.

3.7 Contractor Furnished Material (CFM). The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Material (NAVICPINST 4491.21A). In the event that CFM is required for repair parts, the contractor shall requisition repair parts through the DoD Supply system. DoD 4000.25-1-M (MILSTRIP), Chapter 11 authorizes contractors to requisition through the DoD Supply System.

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY: TDP _____ TM _____ OTHER <input checked="" type="checkbox"/>
----------------------------------	-------------------	-------------------------------------------------------------------------------------

D. SYSTEM/ITEM Swthchbrd, Telephone-SB-3865(P)/TTC	E. CONTRACT/PR NO.	F. CONTRACTOR
--------------------------------------------------------------	---------------------------	----------------------

1. DATA ITEM NO. A002	2. TITLE OF DATA ITEM Request For Waiver	3. SUBTITLE Configuration Management
---------------------------------	----------------------------------------------------	------------------------------------------------

4. AUTHORITY (Data Acquisition Document No.) DI-CMAN-80641B	5. CONTRACT REFERENCE SOW 3.3	6. REQUIRING OFFICE MCLBA (825)
-----------------------------------------------------------------------	-----------------------------------------	-------------------------------------------

7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQUENCY ASREQ	12. DATE OF FIRST SUBMISSION SEE BLK 16	14. DISTRIBUTION		
8. APP CODE	A	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION	a. ADDRESSEE	b. COPIES	
					Draft	Final
					Reg	Repro

16. REMARKS Blk 4 - Contractor format is authorized. Blks 10 & 12 - RFWs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation. RFWs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government. RFWs shall be transmitted via E-Mail to the following address: mbmatcomconfigmgmnt@matcom.usmc.mil Distribution Statement A: Approved for public release, distribution is unlimited	MCLBA (825-2)	0	1	0
16. TOTAL	0	1	0	

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

G. PREPARED BY <i>James C. Paul</i>	H. DATE 12/3/99	I. APPROVED BY <i>W. H. Coyle</i>	J. DATE 3 Dec 99
-----------------------------------------------	---------------------------	---------------------------------------------	----------------------------