

SOW-00-847-3-8F974B-1/1

Date: 7 February 2000

STATEMENT OF WORK (SOW)
For the Rebuild of the
CV-4004 Fiber Optic Converter for the AN/GSC-54A
NSN: 6020-01-378-4837
P/N: 90009A1100-1; CAGE: 01365



ROY G. SUMNER

Switch Systems Section
Equipment Specialist
(Code 847-3)
MCLB, Albany GA



Dot Ethridge

Inventory Manager
Switch Systems Section
(Code 847-3)
MCLB, Albany GA



WILEY H. COOK, JR.

Weapon System/Equipment Manager
Switch Systems Section (Code 847-3)
MCLB, Albany GA

STATEMENT OF WORK FOR THE
Rebuild of the CV-4004, Converter, Fiber Optic
For the AN/GSC-54
NSN: 6020-01-378-4837

1.0 SCOPE. This document contains requirements to restore the CV-4004, NSN 6020-01-378-4837, CAGE 01365, Part Number 90009A1100-1 to Condition Code "A". Condition Code "A" is defined as "serviceable/issueable without qualification, new, used, repaired or reconditioned materiel that is serviceable/issueable to all customers without limitation or restriction, including materiel with more than 6 months shelf-life remaining".

1.1 This Statement of Work (SOW) identifies the work effort including repair, testing, and packaging/marketing requirements that shall be performed by the contractor to rebuild the CV-4004, NSN 6020-01-378-4837, CAGE 01365, Part Number 90009A1100-1.

2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the DoD Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standard

MIL-STD-129 Standard Practice for Military Marking

MIL-STD-2073-1C DoD Standard Practice for Military Packaging

Military Standard (For Reference Only)

MIL-STD-973 Configuration Management

2.2 Other Government Documents and Publications

DOD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A NAVICP Instruction: Requisitioning of Contractor
 Furnished Material from the Federal Supply System

TM 09006A-25&P/2 Converter Set, Fiber Optic AN/GSC-54

90009A1100 Fiber Optic Converter

PL90009A1100 Parts List, Fiber Optic Converter

SC90009A1111 Schematic Diagram, Fiber Optic Converter

2.3 Industry Standard

ANSI/EIA-625	Requirements for Handling Electrostatic-Discharge Sensitive ESDS Devices
ANSI/ISO/ASQC Q9003-1994	Quality Systems – Model for Quality Assurance in Final Inspection and Test

Copies of Military Specifications and Standards are available from the DoD Single Stock Point, Defense Automation Production Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179 or on the internet at <http://www.dodssp.daps.mil>. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 825-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 Requirements

3.1 General Task. The Contractor shall rebuild CV-4004, NSN 6020-01-378-4837, CAGE 01365, Part Number 90009A1100-1 in accordance with TM 09006A-25&P/2 and Engineering Drawings 90009A1100, PL90009A1100 and SC90009A1111.

3.2 Packaging, Handling, Storage and Transportation (PHS&T)

a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items being prepared for long term storage or shipment to overseas destinations shall be preserved and packaged to level "A" requirements of MIL-STD-2073-1C, Appendix A, Table A.VI., Electronic Equipment. Items being prepared for immediate use, short-term storage or domestic shipment shall be in accordance with level "B" requirements.

b. Marking of all items shall be in accordance with MIL-STD-129.

c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

3.3 Configuration Control. The Contractor shall implement configuration control to established configuration items. Deviation from the established baseline configuration will not be allowed without the approval in writing from the Weapon System/Equipment Manager (Code 847-3). If necessary to temporarily depart from the authorized configuration, the Contractor

shall prepare and submit a Request for Deviation/Request for Waiver. MIL-STD-973 (paragraph 5.4.3 or 5.4.4 and Appendix E) may be used as a guide.

3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)

GFE is government owned equipment authorized by contract for use by a commercial/government contractor. It is neither consumed during the production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.

3.5 Quality Assurances Provisions. The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test.

3.6 Electrostatic Discharge (ESD) Control Program. The Contractor shall establish, implement and document an ESD control program following the guidelines provided in ANSI/EIA-625. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.

3.7 Contractor Furnished Materiel. The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event Contractor Furnished Materiel is required for repair parts, the Contractor shall requisition through the DoD Supply System. DoD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY: TDP _____ TM _____ OTHER <input checked="" type="checkbox"/>
----------------------------------	-------------------	---

D. SYSTEM/ITEM CV-4004, Converter, Fiber Optic	E. CONTRACT/PR NO.	F. CONTRACTOR
--	---------------------------	----------------------

1. DATA ITEM NO. A002	2. TITLE OF DATA ITEM Request For Waiver	3. SUBTITLE Configuration Management
---------------------------------	--	--

4. AUTHORITY (Data Acquisition Document No.) DI-CMAN-80641B	5. CONTRACT REFERENCE SOW 3.3	6. REQUIRING OFFICE MCLBA (825)
---	---	---

7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQUENCY ASREQ	12. DATE OF FIRST SUBMISSION SEE BLK 16	14. DISTRIBUTION		
8. APP CODE A		11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION	a. ADDRESSEE	b. COPIES	
					Draft	Final
					Reg	Repro

16. REMARKS Blk 4 - Contractor format is authorized. Blks 10 & 12 - RFWs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation. RFWs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government. RFWs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil Distribution Statement A: Approved for public release, distribution is unlimited	MCLBA (825-2)	0	1	0	
	15. TOTAL		0	1	0

G. PREPARED BY <i>Gene Collins for Pat Taylor</i>	H. DATE 9 Feb 00	I. APPROVED BY <i>Mark H. Cook</i>	J. DATE 8 FEB 00
---	----------------------------	--	----------------------------

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE