

SOW-00-847-3-08842A-1/1


Date: 9 December 1999

STATEMENT OF WORK (SOW)  
For the Rebuild of the  
Converter, Telephone Signal, CV-3478/TTC  
NSN: 5805-01-127-6943  
P/N: SM-D-810470-3; CAGE: 80063



**ROY G. SUMNER**

Switch Systems Section  
Equipment Specialist  
(Code 847-3)  
MCLB, Albany GA



**CAROLE JONES**

Inventory Manager  
Switch Systems Section  
(Code 847-3)  
MCLB, Albany GA



**WILEY H. COOK, JR.**

Weapon System/Equipment Manager  
Switch Systems Section (Code 847-3)  
MCLB, Albany GA



## ANSI/ISO/ASQC Q9003-1994 Quality Systems

Copies of Military Specifications and Standards are available from the Naval Publications and Forms Center, (ATTN: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 825-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

### 3.0 Requirements

General Task. The contractor shall rebuild the CV-3478/TTC, NSN 5805-01-127-6943, CAGE 80063, Part Number SM-D-810470-3 in accordance with TM 11-5805-715-34P MS and Engineering Drawing SM-D-810470.

### 3.2 Packaging, Handling, Storage and Transportation (PHS&T)

a. The contractor shall be responsible for preservation and packaging of items being repaired/restored under the terms of this statement of work. Items being prepared for long term storage or shipment to overseas destinations shall be preserved and packaged to level "A" requirements of MIL-STD-2073-1C, Appendix A, Table A.VI, Electronic Equipment. Items being prepared domestic shipment and for immediate use shall be prepared to level "B" requirements.

b. Marking of all items shall be in accordance with MIL-STD-129.

c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

3.3 Configuration Control. The contractor shall implement configuration control to established configuration items. Deviation from the established baseline configuration will not be allowed without the approval in writing from the Weapon System/Equipment Manager (Code 847-3). If necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation/Request for Waiver. MIL-STD-973 (paragraph 5.4.3 or 5.4.4 and Appendix E) may be used as a guide.

3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM) GFE is government owned equipment authorized by contract for use by a commercial/government contractor. It is neither consumed during the production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a

contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/Code 822), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.

3.5 Quality Assurances Provisions. The contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test.

3.6 Electrostatic Discharge (ESD) Control Program. The contractor shall establish, implement and document an ESD control program following the guidelines provided in ANSI/EIA-625. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.

3.7 Contractor Furnished Materiel. The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DoD Supply System. DoD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.



