

STATEMENT  
OF  
WORK FOR THE  
POWER TAKE OFF ASSEMBLY  
NSN  
2990-00-225-3220  
OR  
POWER TAKEOFF ASSEMBLY  
WITH CONTAINER  
NSN  
2990-00-118-4942

SOW-00-834-1-84409B-1/2  
24 October 1999

<u>PARAGRAPH</u>	<u>TITLE</u>	
1.0	Scope	1
1.1	Background	1
2.0	Applicable Document	1
2.1	Military Standards	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	2
3.0	Requirements	2
3.1	General Tasks	2
3.2	Detailed Tasks	3
3.2.1	Phase I-Rebuild	3
3.2.2	Phase II-Inspection, Testing, Acceptance	3
3.2.3	Phase III Preparation for Shipment	4
3.3	Configuration Control	4
3.4	Government Furnished Equipment/Government Furnished Materiel	5
3.5	Contractor Furnished Materiel	5
3.6	Quality Assurance Provisions	5
4.0	Reports/Documentation	6

STATEMENT OF WORK  
POWER TAKE OFF ASSEMBLY  
OR  
POWER TAKE OFF ASSEMBLY WITH CONTAINER

1.0 SCOPE. This Statement of Work (SOW), along with Draft TM 8F152B-25&P/A establishes and sets forth tasks and identifies the work efforts that shall be performed by the contractor facility in the rebuild of the Assault Amphibious Vehicle (AAV) Power Take-Off (PTO) or the PTO with Container. These documents contain minimum requirements to restore the PTO or PTO with Container to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitations or restrictions". The PTO is identified by National Stock Number 2990-00-225-3220 and the PTO with Container is identified by National Stock Number 2990-00-118-4942.

1.1 BACKGROUND. Rebuild is defined as that maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through complete disassembly of the item, inspection of all parts or components, repair or replacement of worn or unserviceable parts using original manufacturing tolerances and/or specifications and subsequent reassembly of the item.

2.0 APPLICABLE DOCUMENTS. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-2073-1C                      DoD Standard Practice for Military Packaging

MIL-STD-129                          DoD Standard Practice for Military Marking

Military Standards (For Guidance-Only)

MIL-STD-973                          Configuration Management

2.2 Other Government Documents and Publications

DoD 4160.21-M                      Defense Utilization and Disposal Manual

DoD 4000.25-1-M	MILSTRIP Manual
NAVICPINST 4491.2A	Requisitioning of Contractor Furnished Material From The Federal Supply System
TM-4700-45/6B	Installation of Repair/Overhaul Data Plates-All Equipment End Items, Assemblies, and Components
RS 3.4A	Rebuild Standards for the AAV7A1
TM 2350-45	DMA Standard Procedures
TM-8FI52B-25&P/A (Draft)	Power Plant Assembly AAV7A1
ECP 5183	Drawing Of Transmission/PTO
Drawing 2587768	Power Take-Off
Drawing 2589053	Power Take-Off With Container
DTD	Mears Document Type Definition

### 2.3 Industry Standards

ANSI/ISO/ASQC Q 9002-1994 Quality System-Model for Quality Assurance in Production, Installation and Servicing

Copies of Military specifications and standards are available from the Naval Publication and Forms Center, [ATTN:PODS], 5801 Tabor Avenue, Philadelphia, PA 119120-5000. Copies of handbooks, publications and other Government documents required by the contractor in connection with specific SOW requirements shall be obtained, in writing, from: Commander, Marine Corps Logistics Bases , Attn: Publication Branch (Code 876), Albany, Georgia 31704-5000. Commercial (912) 439-5818/19, or DSN 567-5818/19. Copies of Drawings and Engineering Change Proposals required by the contractor shall be obtained in writing from Life Cycle Management Center, Attn (Code 825-3) 814 Radford Blvd Suite 20302, Albany Georgia 31704-0320, Commercial (912) 439-6410 or DSN 567-6410.

### 3.0 REQUIREMENTS

3.1 General Tasks. In fulfilling the specified requirements, the contractor shall:

- a. Provide materials, labor, facilities, and services necessary to troubleshoot, test, diagnose,

engineer, integrate, install, repair, rebuild, and calibrate as required to make the PTO or the PTO with Container fully operational. Upon completion of rebuild, the PTO or the PTO with Container shall be Condition Code "A".

b. Conduct final-on-site testing which shall be witnessed by Marine Corps Logistics Base (MARCORLOGBASEALB), Albany, Georgia (Code 834-1) representative at his/her discretion.

c. The contractor shall be responsible for all structural, electrical, and mechanical requirements associated with the rebuild of the PTO or the PTO with Container as specified in Draft TM-8F152B-25&P/A, RS 3.4A, MIL-STD-2073-1C, and MIL-STD-129.

d. Ensure all PTO or PTO with Container that have unserviceable or missing components meet the configuration of Naval Sea System Command Drawings 2587768 or 2589053.

e. All mandatory replacement parts shall be replaced in accordance with Draft TM-8F152B-25&P/A. Economically repairable replacement parts may be reused if they meet the applicable inspection requirements in TM 2350-45. All parts shall be disposed of in accordance with DoD 4160.21-M.

3.2 Detailed Tasks. The following tasks describe the different phases for the rebuild of the PTO or the PTO with Container.

3.2.1 Phase I - Rebuild. The contractor shall receive PTO or the PTO with Container for rebuild. The contractor shall then disassemble the PTO or the PTO with Container into components in accordance with the requirements in Draft TM 8F152B-25&P/A and this SOW. The contractor shall be responsible for supplying all equipment, tools, test equipment, and materials, for the conduct of this effort. The contractor shall be responsible for the integration and assembly of all components. The Engineering Change Proposals ( ECP) 5183, of this SOW, shall be applied during the rebuild process.

The configuration identification for the PTO is defined by the specifications annotated on current revision levels of Naval Sea System Command drawing 2587768. The PTO with Container is defined by the specifications annotated on current revision levels of Naval Sea System Command drawing 2589053. Upon completion of rebuild, the PTO or PTO with Container shall be in condition code "A". A Rebuild Data Plate shall be installed in accordance with TM-4700-45/6B.

3.2.2 Phase II - Inspection, Testing, Acceptance

a. Inspection, testing, and acceptance of the PTO or the PTO with Container shall be conducted in accordance with Draft TM 8F152B-25&P/A and ANSI/ISO/ASQC.Q9002-1994.

b. The performance of the contractor and the quality of work delivered, including all documentation of material written or complied, shall be subject to in-process review and inspection during performance. Inspection may be accomplished in-plant or at the work site. The MARCORLOGBASEALB representative shall be permitted to observe the work and/or conduct inspections at a reasonable hour. Final inspection and acceptance shall be at the contractors.

c. Failure to comply with any of the specified requirements listed herein shall be reason for rejection by the MARCORLOGBASEALB representative. The contractor shall, at no additional cost to the Marine Corps, provide the following:

(1) Develop an approach for the correction of all deficiencies.

(2) Upon approval by the MARCORLOGBASEALB representative, the contractor shall correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedure requirements is demonstrated.

### 3.2.3 Phase III – Packaging, Handling, Storage and Transportation (PHS&T).

a. The contractor shall be responsible for preservation and packaging for items rebuilt under the terms of this SOW. Items being prepared for shipment to units for immediate usage within the continental limits of the United States shall be to level “B”. Items being prepared for long term storage or immediate shipment to overseas destinations shall be level “A” in accordance with MIL-STD 2037-1C, Method 55 for NSN 2990-00-118-4942 and Method 52 for NSN 2990-00-225-3220.

b. Marking shall be in accordance with MIL-STD-129.

c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the converted equipment, and the contractor shall be responsible for arranging for shipment to the predesignated site(s). The Marine Corps will be responsible for transportation cost associated with the shipping the subject equipment to and from the contractor.

### 3.3 Configuration Control

a. The contractor shall apply configuration control to established configuration items. The contractor shall not implement a design or performance change to items without receiving prior

authorization from the contracting activity. The need to deviate from the written procedures or materials contained in the technical manuals/engineering drawings shall be requested by the electronic submission of a Request for Deviation(RFD)/Request for Waiver(RFW). MIL-STD-973, paragraph 5.4.3 or 5.4.4, provide guidance for preparing these configuration change

documents. The contractor shall be furnished with MEARS Document Type Definitions (DTD), and either the associated template for the production of electronic RFD/RFWs or the MEARS CREATE application. All electronic change submission shall be prepared in accordance with the DTD. Delivery media and formats are contained in the application Contract Data Requirement List.

b. The submission of electronic files shall be accomplished by the originator placing the file RFD/RFW files on the MCLBA shared drive, FS Group Shared files 1@ALADMA05@Servers on "Street talk" (G) or equivalent address. The originator shall notify the contracting activity of a RFD residing on applicable server by e-mail, As an alternative to placing the RFD/RFW on the server, the originator may e-mail the document using zip files.

### 3.4 Government Furnished Equipment (GFE) and Government Furnished Materiel (GFM)

GFE is government owned equipment authorized by contract for use by a commercial/ Government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into a product being manufactured/remufactured under a contract/ statement of work. In the event the Marine Corps does have GFE/GFM requirements the Management Control Activity (MCA/G316-2) at Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine assets in the Contractors possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibility for Marine Corps assets. The contractor shall report receipt of all GFM and report consumption of GFM to the MCA.

### 3.5 Contractor Furnished Material (CFM)

The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Material (NAVICPINST 4491.2A). In the event that Contractor Furnished Material is required for repair parts, the DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.

### 3.6. Quality Assurance Provisions

3.6.1 The performance of the contractors quality of work performed, material provided and documents written shall be subject to in-process review and inspection by the MARCORLOGBASEALB representative during contract performance. Inspection may be accomplished at any work location. The MARCORLOGBASEALB representative shall be permitted to observe the work/tasks accomplishment and/or to conduct inspections at any reasonable hour. Acceptance Tests shall be held in-plant. The MARCORLOGBASEALB

representative requires, at a minimum, two weeks notice before any acceptance testing is to be done, to allow for sufficient time for witnessing these tests. Inspection by the MARCORLOGBASEALB representative of all acceptance tests, materials and associated lists furnished hereunder does not relieve the contractor from any responsibility regarding defects or other failures to meet the SOW requirements which may be disclosed prior to final acceptance.

3.6.2 The contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q 9002-1994. The contractors work shall be subject to in-process reviews and inspections for compliance with these procedures and standards by MARCORLOGBASEALB representative. Noncompliance with these quality assurance procedures resulting in degraded quality of work may result in a stop-work order requiring action by the contractor to correct the work performed and to enforce compliance with quality assurance procedures or face contract termination. Notwithstanding such inspection, it shall be the contractors responsibility to ensure that the entire system meets the performance requirements of this SOW.

3.6.3 Quality assurance operations performed by the contractor shall be subject to the MARCORLOGBASEALB representative's verification at any reasonable hour. MARCORLOGBASEALB representative's verification can include, but shall not be limited to the following:

- a. Inspection of materials, products, assemblies, subassemblies, and documentation to assess compliance with quality standards.
- b. Surveillance of operations to determine that quality assurance, practices, methods, and procedures are being properly applied.
- c. Inspections of deliverable products to assure compliance with all requirements of the PTO and PTO with Container rebuild process, this SOW, and applicable documents used herein.

3.6.4 Failure of the contractor to promptly correct deficiencies discovered, shall be reason for suspension of acceptance until corrective action has been made.

#### 4.0 Reports/Documentation

4.1 Report/Documentation that are required:

a.. The contractor shall provide a Monthly Parts Usage Report on each PTO or PTO with Container. The report shall be sequenced by Master Work Schudle Line Number and Production Number. (MWSLIN).

b. The contractor shall provide a monthly Production Status Report summarizing the progress and status of the PTO and PTO with Container.







**CONTRACT DATA REQUIREMENTS LIST**  
(1 Data Item)

Form Approved  
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

<b>A. CONTRACT LINE ITEM NO.</b>	<b>B. EXHIBIT</b>	<b>C. CATEGORY:</b> TDP _____ TM _____ OTHER <input checked="" type="checkbox"/>
----------------------------------	-------------------	---

<b>D. SYSTEM/ITEM</b> AAV PTO/PTO with Container	<b>E. CONTRACT/PR NO.</b>	<b>F. CONTRACTOR</b>
---	---------------------------	----------------------

<b>1. DATA ITEM NO.</b> C002	<b>2. TITLE OF DATA ITEM</b> Request For Waiver	<b>3. SUBTITLE</b> Configuration Management
---------------------------------	--	--

<b>4. AUTHORITY (Data Acquisition Document No.)</b> DI-CMAN-80641B	<b>5. CONTRACT REFERENCE</b> SOW 3.3	<b>6. REQUIRING OFFICE</b> MCLBA (825)
---	---	---

<b>7. DD 250 REQ</b> LT	<b>9. DIST STATEMENT REQUIRED</b> A	<b>10. FREQUENCY</b> ASREQ	<b>12. DATE OF FIRST SUBMISSION</b> SEE BLK 16	<b>14. DISTRIBUTION</b>		
<b>8. APP CODE</b>	<b>11. AS OF DATE</b>	<b>13. DATE OF SUBSEQUENT SUBMISSION</b>	<b>a. ADDRESSEE</b>		<b>b. COPIES</b>	
					Draft	Final
					Reg	Repro

<b>16. REMARKS</b> Block 7 & 14: All deliveries shall be transmitted via E-Mail to bradleyd@ala.usmc.mil and smithd1@ala.usmc.mil.  RFWs will be reviewed and disposition determined within 15 calendar days upon receipt by the Government.  MEARS text files shall be provided as electronic submissions. Any supporting documentation submitted as enclosures or figures to the MEARS text files shall be created in MSWord, MSEXcel, MS Powerpoint or CCITT Group IV graphic files. Group IV graphic files shall include 1840A CALS raster data file header. Graphic density for A-D size drawings shall be delivered as 600 dpi.  Distribution Statement A: Approved for public release, distribution is unlimited.	<b>MCLBA (825-2)</b>	0	1	0
<b>15. TOTAL</b>	→	0	1	0

<b>G. PREPARED BY</b> <i>Doug Smith</i>	<b>H. DATE</b> 5-24-99	<b>I. APPROVED BY</b> <i>R. Hoffman</i>	<b>J. DATE</b> 11/02/99
--	---------------------------	--	----------------------------

<b>17. PRICE GROUP</b>
<b>18. ESTIMATED TOTAL PRICE</b>