

STATEMENT OF WORK (SOW)  
REBUILD OF  
RADAR SET AN/PPS-15(V)2  
NSN 5840-01-055-8967

1.0 Scope. This Statement of Work (SOW) establishes and sets forth tasks and identifies the work efforts that shall be performed by the Contractor in the rebuild effort of the Radar Set AN/PPS-15(V)2, NSN 5840-01-055-8967, ID# 07581B, TAMCN A1415. (For purposes of this SOW, Contractor is defined as the commercial or government entity performing the rebuild). This document contains requirements to restore the Radar Set AN/PPS-15(V)2 to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than six months shelf-life remaining".

1.1 Background. Rebuild is defined as "That Maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repairs or replacement of worn or unserviceable elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the items".

2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129	DoD Standard Practice for Military Marking
-------------	--

2.2 Other Government Documents and Publications.

AG00000385	Special Packaging Instructions (SPI)
------------	--------------------------------------

TM-07581A-34	Direct Support and General Support Maintenance Manual Radar Set AN/PPS-15(V)2
--------------	---

TM-07581A-35	Maintenance Prints Radar Set AN/PPS-15(V)2
--------------	---

TM-07581A-50	Overhaul Instructions Radar Set AN/PPS-15(V)2
--------------	--

DoD 4000.25-1-M

MILSTRIP Manual

NAVICPINST 4491.2A

Requisitioning of Contractor Furnished Materiel  
from the Federal Supply SystemMilitary Handbook (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

2.3 Industry Standards.

ANSI/ISO/ASQC Q9002-1994

Quality Systems – Model for Quality Assurance  
in Production, Installation, and ServicingIndustry Standard (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration  
Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or <http://www.dodssp.daps.mil>. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained from through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, may be obtained by contacting: Life Cycle Management Center, Attn: Code 851-3, 814 Radford Blvd Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 Requirements.3.1 Rebuild.

The contractor shall use the following document to assist in the rebuilding of the Radar Sets: TM-07581A-50, TM-07581A-34, and TM-07581A-35.

Upon completion, rebuilt Radar Sets shall be in Condition Code "A", as described in paragraph 1.0 to this SOW.

3.2 Quality Assurance/Quality Control.

The Contractor shall provide and maintain a Quality System that as a minimum adheres to the requirements of ANSI/ISO/ASQC Q9002-1994, Quality Systems - Model for Quality Assurance in Production, Installation, and Servicing. Quality acceptance and test procedures shall be in accordance with TM-07581A-50, chapters 2-9, section VI.

### 3.3 Configuration Control

The contractor shall apply configuration control procedures to established configuration items. The Contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. MIL-HDBK-61 (paragraph 4.2 and Table 4-6) and ANSI/EIA-649 (paragraph 5.3.1) provide guidance for preparing this configuration control document. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation. MIL-HDBK-61 (Paragraph 4.3 and Table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing this configuration control document.

### 3.4 Packaging, Handling, Storage and Transportation (PHS&T)

a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the level A requirements of SPI AG00000385 which may be obtained from Materiel Management Division, Logistics Support Division (822-1), Suite 20320, 814 Radford Blvd., Albany, GA 31704-0320, Commercial telephone "(229) 639-6786 or DSN 567-6786. Items scheduled for domestic shipment, immediate use or short-term storage shall be to level B requirements.

b. Marking shall be in accordance with MIL-STD-129.

c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the contractor.

### 3.5 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)

GFE is government owned equipment authorized by contract for use by a commercial/ Government Contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a Contractor that will be consumed during the course of production or incorporated into the product being manufactured/remanufactured under a contract/ statement of work. In the event the Marine Corps does have GFE/GFM requirements the Management Control Activity (MCA/827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.

### 3.6 Contractor Furnished Materiel.

The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required

for repair parts, the contractor shall requisition through the DOD Supply System. DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.



