# STATEMENT OF WORK
# FOR THE
# MINE CLEARANCE LAUNCHER
# **MK 155**
# **NSN 1055-01-203-5883**
# Inspect Repair Only As Necessary
# (IROAN)

TABLE OF CONTENTS

1.0 SCOPE. 3
1.1 Background. 3
2.0 APPLICABLE DOCUMENTS. 3
2.1 Military Specifications 3
2.2 Military Standards. 3
2.3 Other Government Documents and Publications. 4
2.4 Industry Standards. 4
3.0 REQUIREMENTS 5
3.1 General Tasks. 5
3.2 Detail Tasks. 5
3.2.1 Phase I 5
3.2.2 Phase II 5
3.2.3 Phase III - Inspection, Testing and Acceptance 7
3.2.4 Packaging, Handling, Storage, and Transportation (PHS&T). 7
3.3 Configuration Management 8
3.3.1 Configuration Status Accounting (CSA). 8
3.3.2 Configuration Control. 8
3.4 Quality Assurance Provisions 8
3.5 Acceptance. 8
3.6 Rejection 9
3.7 Government Furnished Equipment (GFE)/Government Furnished Materiel 9
3.8 Contractor Furnished Materiel 9
4.0 REPORTS 9
4.1 Repairable Item Inspection Report. . 9
4.2 Monthly Progress Reports. 9
4.3 Pre-Induction Checklist. 10

STATEMENT OF WORK FOR THE
MINE CLEARANCE LAUNCHER MK 155
Inspect Repair Only As Necessary (IROAN)
NSN 1055-01-203-5883

1.0 SCOPE. This Statement of Work (SOW) establishes and sets forth tasks and identifies the work efforts that shall be performed by the Contractor in the IROAN effort of the MK 155 MOD 0, Mine Clearance Launcher, which is comprised of the Mod 0 Launcher and the M353 Trailer, hereafter referred to as the MK 155. These documents contain requirements to restore the MK 155 to Condition Code "A." "Condition Code A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than 6 months shelf-life remaining." National Stock Number (NSN) 1055-01-203-5883 shall be known as the MK 155.

1.1 Background. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."

2.0 APPLICABLE DOCUMENTS. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 MILITARY SPECIFICATIONS

MIL-C-46168 - Coating, Aliphatic Polyurethane, Chemical Agent Resistant.

MIL-C-53039 - Coating, Aliphatic Polyurethane, Single Component, Chemical Agent Resistant.

2.2 MILITARY STANDARDS.

MIL-STD-129 - DoD Standard Practice for Military Marking

MIL-STD-130 - DoD Identification Marking of US. Military Property

MIL-STD-461 - Electromagnetic Emission and Susceptibility Requirements for the Control of Electromagnetic Interference.

2.3 OTHER GOVERNMENT DOCUMENTS AND PUBLICATIONS

ATPD 2241 - Vehicles, Wheeled, Preparation for Shipment and Storage of

DOD 4000.25-1-M - MILSTRIP Manual

DOD 4160.21-M - Defense Materiel Disposition Manual

NAVICPINST 4491.2A- NAVICP Instruction: Requisitioning of Contractor Furnished Materiel from the Federal Supply System

TM 08982A-14&P/2B - MK 2 MOD 0 Mine Clearance System

TM 3080-12 - Corrosion Prevention and Control for Marine Corps Equipment

TM 3080-50 - Corrosion Control Procedures Depot Maintenance Activities for Marine Corps Equipment.

TM 4700-15/1H - Ground Equipment Record Procedures

TM 4750-15/1 - Painting and Registration Marking for Marine Corps Combat and Tactical Equipment

TM 4750-15/2 - Camouflage Paint Patterns

ENGINEERING DRAWINGS

Marine Corps

82A5052A0000 - Launcher, Mine Clearance, MK 155 Mod 0

Military Handbooks (For Guidance)

MIL-HDBK-61 - Configuration Management Guidance

2.4 Industry Standards.

ANSI/ISO/ASQC Q9001-1994 - Quality Systems - Model for Quality Assurance in Design Development, Production, Installation, and Servicing

Industry Standards (For Guidance)

ANSI/EIA-649 - National Consensus Standard for Configuration Management

Copies of Military Standards and Specifications are available from the DOS Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil.

Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the contracting officer: Commander, Marine Corps Logistics Bases, (Code 891) Attn: Contracting Officer, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (229) 639-6753 or DSN 567-6753. Copies of engineering drawings, if applicable, shall be obtained from Commander (Code 851-3), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 REQUIREMENTS

3.1 General Tasks. In fulfilling the specified requirements, the Contractor shall:

a. Provide materials, labor, facilities, missing parts, and repair parts necessary to inspect, diagnose, restore, and test the MK 155. Upon completion of IROAN, repaired equipment shall be Condition Code "A".

b. Provide all tools and test equipment required to test, inspect, repair, and calibrate the MK 155.

c. Conduct in-process and final on-site testing for witness by an MCLB (Code 837-1), Albany, representative.

d. Be responsible for all structural, electrical and mechanical requirements associated with the restoration of the MK 155.

3.2 Detail Tasks. The following tasks describe the different phases for IROAN of the MK 155.

3.2.1 Phase I - Pre-induction. The contractor shall perform a pre-induction inspection analysis for each MK 155 using the Contractor's diagnosis, inspection and testing techniques to determine extent of work and parts required. This inspection shall include all items associated with the MK 155 as found in TM 08982A-14&P/2B. These findings shall be annotated on a Pre-Induction Check list and shall be provided to the government in accordance with Section 4.0 of this SOW.

3.2.2 Phase II - IROAN. After pre-induction tests and inspections have been completed, repair of the MK 155 shall be accomplished by the contractor in accordance with this SOW. Deficiencies noted on the Pre-Induction Checklist during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of mandatory parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Inspection Report - Information recorded on the Inspection Report shall be used as a guide to repair the MK 155 system in accordance with this SOW.

b. Technical Instruction (TI) - All TI's not previously applied to the MK 155 shall be applied during the IROAN and shall be annotated on Equipment Record Jacket in accordance with TM 4700-15/1H.

c. Corrosion - For corrosion prevention and treatment use TM 3080-12 and TM 3080-50.

d. Fluid Leaks - The following shall be used as a guide in determining degree of fluid loss:

(1) Class I - Seepage of fluid (as indicated by wetness or discoloration) not great enough to form drops.

(2) Class II - Leakage of fluid great enough to form drops, but not enough to cause drops to fall from the item being checked/inspected.

(3) Class III - Leakage of fluid great enough to form drops that fall from the item being checked/inspected.

**NOTE:**

A Class I Leak, except in fuel or brake systems, is an acceptable condition at any time and does not require corrective action.

e. Electrical Control Box Assemblies - The Safety Switch Assembly shall be tested for continuity and operation in the raised and lowered position in accordance with the instructions in TM 08982A-14&P/2B.

f. Data Plates - All required data plates and decals shall be in place and shall be legible. Each repaired MK 155 shall have an IROAN data plate affixed to the main unit in close proximity to the existing data plate. The data plate shall meet the requirements of MIL-STD-130 and TM 4750-15/1 and shall contain the Equipment Serial Number, date of IROAN, Date of SOW, SOW number, and Company name of contractor completing work.

g. Painting/Coating (Exterior/Interior) - If painting/coating is required, the MK 155 shall be cleaned in accordance with TM 3080-50, Chapter 4, and coated with Aliphatic Polyurethane Coating, in accordance with MIL-C-46168 or MIL-C-53039.

h. Demilitarization - All end items that are identified as non-repairable and require demilitarization codes, shall be reported to the Marine Corps Logistics Bases representatives Code 837-1, who will provide disposition instructions in accordance with DOD 4160.21-M-1.

i. Electromagnetic Emission - All requirements pertaining to control of electromagnetic interference, emission and susceptibility shall be in accordance with MIL-STD-461.

j. Hardware

(1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory, safety, and one-time use items, etc., in accordance with TM 08982A-14&P/2B. Unserviceable would include any of the above that failed to function properly.

(2) Ensure proper hardware locking devices are present and operational on all moving mechanical assemblies.

(3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.

k. Hoses - All hoses and fittings shall be visually inspected for damage or deterioration. Any hose showing signs of leakage, kinking or separation of outer coating shall be replaced. This inspection shall be performed during the Operational Test Inspection of the MK155.

l. Hydraulic Reservior - Hydraulic reservoir shall be inspected for corrosion and repaired or replaced if required. Hydraulic reservoir shall be drained and flushed to remove contamination and then refilled with the hydraulic fluid identified in TM 08982A-14&P/2B.

m. Cable Assemblies - All cables and cable connections shall be tested and visually inspected for damage or corrosion. Any cable or cable connector showing signs of damage, corrosion or separation of outer coating shall be repaired/replaced and tested with it's respective component box/assembly to assure satisfactory compliance with all operational test.

3.2.3 Phase III - Inspection, Testing and Acceptance

a. The contractor shall conduct Inspection, Testing and Acceptance of the MK 155 in accordance with TM 08982A-14&P/2B.

b. The Contractor shall be responsible for conducting required tests and shall ensure all necessary personnel are available to complete the final acceptance. Acceptance tests shall be held at the Contractor. MCLB (Code 837-1), Albany, Georgia, representatives shall be given a minimum of two weeks notice prior to beginning acceptance testing. The test area shall be cleared of all equipment parts, components, etc., not required for the test.

c. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. MCLB (Code 837-1), Albany, Georgia, representatives may require the Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

d. Acceptance testing on all MK 155 repaired under the provisions of this SOW shall be accomplished in accordance with TM 08982A-14&P/2B. Operational Tests are to be conducted on each MK 155 upon completion of repairs and prior to the equipment being returned to stock, to insure the unit will perform as required. Operational Tests shall not require any ammunition to complete the test. Tests shall be conducted with the MK 155 secured on the M353 trailer.

3.2.4 Packaging, Handling, Storage, and Transportation (PHS&T).

a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items scheduled for long term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of ATPD 2241. Items scheduled for domestic shipment, immediate use or short-term storage shall be to level "B" requirements.

b. Marking shall be in accordance with MIL-STD-129.

c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment of the equipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

3.3 Configuration Management

3.3.1 Configuration Status Accounting (CSA).

a. The Contractor shall determine the application status of approved configuration changes by visual inspections to the extent possible. The government will identify the configuration changes to be inspected by furnishing a Configuration Inspection Checklist to the Contractor. The Contractor shall use one checklist per MK 155 to record their inspection findings along with other required data.

b. The Contractor shall record serial numbers of the assemblies listed on the Configuration Inspection Checklist. The Contractor shall record the information on the same form that was used to record the application status of configuration changes.

3.3.2 Configuration Control. The contractor shall apply configuration control procedures to established configuration items. The baseline configuration for the MK 155 has been established by Marine Corps Drawing numbers 82A5052A0000 for the MK 155 and approved MIs and ECP's. . The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation, MIL-HDBK-61 (paragraph 4.3 and Table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing this configuration control document.

3.4 Quality Assurance Provisions

The contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-1994, Quality Systems - Model for Quality Assurance in Design Development, Production, Installation, and Servicing. The program shall ensure quality throughout all areas to include fabrication, processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the Contractor shall be responsible for performance of all inspection requirements. The Government, MCLBA (Code 837-1), reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements. The Contractor shall provide an Inspection and Test Plan.

3.5 Acceptance.

The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to in-process review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps (MCLBA, Code 837-1) representatives shall be permitted to observe the work or to conduct inspection at all reasonable hours. Final inspection and acceptance testing shall be conducted at the Contractor. Final acceptance shall be conducted on 100 percent of items to verify that the units meet all requirements.

3.6 Rejection

Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCLBA, (Code 837-1) Albany, representative. The Contractor shall, at no additional cost to MCLB, Albany, Georgia, provide the following:

a. Develop an approach for modification or correction of all deficiencies.

b. Upon approval of a documented approach, the Contractor shall correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.

3.7 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM).

GFE is government owned equipment authorized by contract for use by a commercial/ government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a contract/ statement of work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.

3.8 Contractor Furnished Materiel.

The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DOD Supply System. DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.

4.0 REPORTS

4.1 Repairable Item Inspection Report. The Contractor shall provide a Repairable Item Inspection Report for each MK 155. The report shall be identified by United States Marine Corps Serial Number.

4.2 Monthly Progress Reports. The Contractor shall provide Monthly Progress Reports summarizing the progress and status of the IROAN Program.

4.3 Pre-Induction Checklist. The Contractor shall complete the Pre-Induction Inspection Checklist for each MK 155 repaired. These documents shall be available during final acceptance testing. One copy of each document shall be provided to MCLB, Albany, Georgia, Code 837-1, after final acceptance of the MK 155.

The inspection checklist shall contain, but not be limited to the following:

(1) MK 155 serial number.
(2) Condition Code of MK 155 at receipt.
(3) Results of hydraulic/electrical operational test.
(4) List of defective parts and assemblies.
(5) List of repair parts and assemblies required for repairs.
(6) Corrosion prevention methods that shall be used.

# CONTRACT DATA REQUIREMENTS LIST

*(1 Data Item)*

*Form Approved*
*OMB No. 0704-0188*

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government issuing Contracting Officer for the Contract/PR No. listed in Block E.

| | | |
|---|---|---|
| **A. CONTRACT LINE ITEM NO.** | **B. EXHIBIT** | **C. CATEGORY:** TDP ____ TM ____ OTHER X |
| **D. SYSTEM/ITEM** Mine Clearance Launcher, MK 155 | **E. CONTRACT/PR NO.** | **F. CONTRACTOR** |

| | | | |
|---|---|---|---|
| **1. DATA ITEM NO.** A001 | **2. TITLE OF DATA ITEM** Contractor's Progress, Status, and Management Report | **3. SUBTITLE** Management | **17. PRICE GROUP** |
| **4. AUTHORITY** *(Data Acquisition Document No.)* DI-MGMT-80227 | **5. CONTRACT REFERENCE** SOW 4.2 | **6. REQUIRING OFFICE** MCLBA (837) | **18. ESTIMATED TOTAL PRICE** |
| **7. DD 250 REQ** LT | **8. DIST STATEMENT REQUIRED** A | **10. FREQUENCY** MTHLY | **12. DATE OF FIRST SUBMISSION** See Blk 16 |
| **9. APP CODE** | | **11. AS OF DATE** | **13. DATE OF SUBSEQUENT SUBMISSION** See Blk 16 |

**14. DISTRIBUTION**

| a. ADDRESSEE | b. COPIES Draft | Final Reg | Final Repro |
|---|---|---|---|
| MCLBA (837-1) | 0 | 1 | 0 |
| **15. TOTAL** → | 0 | 1 | 0 |

**16. REMARKS**

Contractor format is authorized.

Blk 4 - Tailor DI-MGMT-80227 as follows: Delete paragraphs 10.3g, 10.3h, 10.3i, 10.3j, 10.3k, and 10.3n.

Blk 12 - The reporting period shall be from the first to last business day of each month. Initial submission shall be 60 DAC.

Blk 13 - Subsequent submissions shall be 10 days after the last business day of each month.

Distribution Statement A: Approved for public release, distribution is unlimited.

| G. PREPARED BY | H. DATE | I. APPROVED BY | J. DATE |
|---|---|---|---|
| [illegible] | 2 Mar 01 | Gerald R Hall | 03/05/01 |

**DD FORM 1423-1, AUG 96 (EG)** PREVIOUS EDITION MAY BE USED. Page ____ of ____ Pages

Designed using Perform Pro, WHS/DIOR, Aug 96

# CONTRACT DATA REQUIREMENTS LIST

*(1 Data Item)*

*Form Approved*
*OMB No. 0704-0188*

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

| A. CONTRACT LINE ITEM NO. | B. EXHIBIT | C. CATEGORY: TDP ____ TM ____ OTHER X |
|---|---|---|
| | | |

| D. SYSTEM/ITEM | E. CONTRACT/PR NO. | F. CONTRACTOR |
|---|---|---|
| Mine Clearance Launcher, MK 155 | | |

| 1. DATA ITEM NO. | 2. TITLE OF DATA ITEM | 3. SUBTITLE |
|---|---|---|
| B001 | Repairable Item Inspection Report | Integrated Logistics Support Standards |

| 4. AUTHORITY *(Data Acquisition Document No.)* | 5. CONTRACT REFERENCE | 6. REQUIRING OFFICE |
|---|---|---|
| DI-ILSS-80386 | SOW 4.1 | MLCBA (837) |

| 7. DD 250 REQ | 9. DIST STATEMENT REQUIRED | 10. FREQUENCY | 12. DATE OF FIRST SUBMISSION |
|---|---|---|---|
| LT | A | ASREQ | See Blk 16 |

| 8. APP CODE | 11. AS OF DATE | 13. DATE OF SUBSEQUENT SUBMISSION |
|---|---|---|
| | | See Blk 16 |

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Contractor format is authorized.

Blk 10 - A separate report shall be submitted for each Mine Clearance Launcher, MK 155 repaired.

Blks 12 & 13 - Submit report by Marine Corps Serial Number 30 days after completion of each Mine Clearance Launcher, MK 155.

Blk 14 - Reports shall be provided on hard copy.

Distribution Statement A: Approved for public release, distribution is unlimited.

14. DISTRIBUTION

| a. ADDRESSEE | b. COPIES Draft | Final Reg | Final Repro |
|---|---|---|---|
| MCLBA (837-1) | 0 | 1 | 0 |
| 15. TOTAL → | 0 | 1 | 0 |

| G. PREPARED BY | H. DATE | I. APPROVED BY | J. DATE |
|---|---|---|---|
| [signature] | 2 Mar 01 | [signature] | 03/05/01 |

DD FORM 1423-1, AUG 96 (EG) PREVIOUS EDITION MAY BE USED. Page ____ of ____ Pages

Designed using Perform Pro, WHS/DIOR, Aug 96

# CONTRACT DATA REQUIREMENTS LIST

*(1 Data Item)*

*Form Approved*
*OMB No. 0704-0188*

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

| A. CONTRACT LINE ITEM NO. | B. EXHIBIT | C. CATEGORY: TDP ____ TM ____ OTHER X |
|---|---|---|
| D. SYSTEM/ITEM: Mine Clearance Launcher, MK 155 | E. CONTRACT/PR NO. | F. CONTRACTOR |

| 1. DATA ITEM NO. | 2. TITLE OF DATA ITEM | 3. SUBTITLE |
|---|---|---|
| B002 | Inspection and Test Plan | Quality Control/Assurance and Inspection |

| 4. AUTHORITY *(Data Acquisition Document No.)* | 5. CONTRACT REFERENCE | 6. REQUIRING OFFICE |
|---|---|---|
| DI-QCIC-81110 | SOW 3.4 | MCLBA (837) |

| 7. DD 250 REQ | 9. DIST STATEMENT REQUIRED | 10. FREQUENCY | 12. DATE OF FIRST SUBMISSION |
|---|---|---|---|
| DD | A | ONE/R | See Blk 16 |
| **8. APP CODE** | | **11. AS OF DATE** | **13. DATE OF SUBSEQUENT SUBMISSION** |
| A | | | See Blk 16 |

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

**16. REMARKS**

Contractor format is authorized.

Blk 12 - Submit test report within 30 days after completion of Production Acceptance Testing. DCMAO will review and provide comments to MCLBA within 30 days of receipt. MCLBA will provide acceptance/nonacceptance to the Contractor within 30 days after receipt of recommendations/comments from DCMAO.

Blk 13 - The Contractor shall incorporate any Government comments with 30 days of receipt. This review/approval cycle shall be repeated until the Contractor receives approval from the Government.

Distribution Statement A: Approved for public release, distribution is unlimited.

**14. DISTRIBUTION**

| a. ADDRESSEE | b. COPIES: Draft | Final: Reg | Final: Repro |
|---|---|---|---|
| MCLBA (837-1) | 0 | 1 | 0 |
| DCMAO | 0 | 1 | 0 |
| **15. TOTAL** → | 0 | 2 | 0 |

| G. PREPARED BY | H. DATE | I. APPROVED BY | J. DATE |
|---|---|---|---|
| [illegible] | 2 Mar 01 | Gerald R Hall | 03/05/01 |

**DD FORM 1423-1, AUG 96 (EG)** PREVIOUS EDITION MAY BE USED. Page ____ of ____ Pages

Designed using Perform Pro, WHS/DIOR, Aug 96

# CONTRACT DATA REQUIREMENTS LIST

*(1 Data Item)*

*Form Approved*
*OMB No. 0704-0188*

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

| A. CONTRACT LINE ITEM NO. | B. EXHIBIT | C. CATEGORY: TDP ____ TM ____ OTHER X |
|---|---|---|
| D. SYSTEM/ITEM: Mine Clearance Launcher, MK 155 | E. CONTRACT/PR NO. | F. CONTRACTOR |

| 1. DATA ITEM NO. | 2. TITLE OF DATA ITEM | 3. SUBTITLE |
|---|---|---|
| C001 | Request For Deviation | Configuration Management |

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

| 4. AUTHORITY (Data Acquisition Document No.) | 5. CONTRACT REFERENCE | 6. REQUIRING OFFICE |
|---|---|---|
| DI-CMAN-80640C | SOW 3.3.2 | MCLBA (851) |

| 7. DD 250 REQ | 9. DIST STATEMENT REQUIRED | 10. FREQUENCY | 12. DATE OF FIRST SUBMISSION |
|---|---|---|---|
| LT | A | ASREQ | SEE BLK 16 |
| **8. APP CODE** | | **11. AS OF DATE** | **13. DATE OF SUBSEQUENT SUBMISSION** |
| | | | |

14. DISTRIBUTION

| a. ADDRESSEE | b. COPIES: Draft | Final: Reg | Final: Repro |
|---|---|---|---|
| MCLBA (851-2) | 0 | 1 | 0 |
| 15. TOTAL → | 0 | 1 | 0 |

16. REMARKS

Blk 4 - Contractor format in .doc or .pdf software is authorized.

Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation.

RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.

RFDs shall be submitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil

Distribution Statement A: Approved for public release, distribution is unlimited

| G. PREPARED BY | H. DATE | I. APPROVED BY | J. DATE |
|---|---|---|---|
| Doug Smith | 3-5-01 | Gerald R Hall | 03/05/01 |